



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 6/18/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 17:06
In Date: 06/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 07:42
Out Date: 06/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1
Thermometer ID: %SOLIDS-OVEN

QC:LB103453

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3399-01	MH0CF0	1	1.13	9.91	9.06	90.3
K3399-02	MH0CF0D	2	1.13	9.91	9.06	90.3
K3399-03	MH0CF0S	3	1.13	9.91	9.06	90.3
K3399-04	MH0AC4	4	1.16	9.6	9.14	94.5
K3399-05	MH0BU6	5	1.13	9.94	9.62	96.4
K3399-06	MH0BU8	6	1.13	9.55	9.08	94.4
K3399-07	MH0BU9	7	1.14	9.92	9.28	92.7
K3399-08	MH0BV0	8	1.14	9.74	9.43	96.4
K3399-09	MH0BV1	9	1.15	9.64	9.41	97.3
K3399-10	MH0BV2	10	1.13	9.7	9.07	92.6
K3399-11	MH0BV8	11	1.12	9.8	8.28	82.5
K3399-12	MH0BV9	12	1.12	9.84	9.35	94.4
K3399-13	MH0BW0	13	1.11	9.87	9.44	95.1
K3399-14	MH0BW1	14	1.14	9.82	8.84	88.7
K3399-15	MH0BW2	15	1.13	9.99	9.69	96.6
K3399-16	MH0BW3	16	1.19	9.91	9.71	97.7
K3399-17	MH0BW4	17	1.14	9.72	9.28	94.9
K3399-18	MH0BW5	18	1.13	9.64	9.4	97.2
K3399-19	MH0BW6	19	1.13	9.9	9.27	92.8
K3399-20	MH0BW7	20	1.13	9.92	9.77	98.3
K3399-21	MH0BW8	21	1.12	9.74	9.54	97.7
K3399-22	MH0BW9	22	1.15	9.92	9.75	98.1

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$