



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: JIGNESH

Date: 6/21/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 15:30

In Date: 06/20/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 07:40

Out Date: 06/21/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-1

Thermometer ID: %SOLIDS-OVEN

QC:LB103529

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3460-01	YANT0	1	1.17	9.82	9.16	92.4
K3460-02	YANT2	2	1.16	9.97	8.81	86.8
K3460-03	YANT3	3	1.12	9.81	9.14	92.3
K3460-04	YANT4	4	1.15	9.96	8.34	81.6
K3460-05	YANT9	5	1.13	9.58	8.6	88.4
K3460-06	YANW0	6	1.12	9.67	8.42	85.4
K3460-07	YANW1	7	1.1	9.97	9.57	95.5
K3460-08	YANW2	8	1.1	9.94	7.98	77.8
K3460-09	YANW3	9	1.15	9.59	9.14	94.7
K3460-10	YANW4	10	1.18	9.51	8.37	86.3
K3460-11	YANW5	11	1.16	9.85	9.51	96.1
K3460-12	YANW6	12	1.17	9.82	9.51	96.4
K3460-13	YANW7	13	1.11	9.63	8.91	91.5
K3460-14	YANW8	14	1.13	9.92	8.82	87.5
K3460-15	YANW9	15	1.13	9.68	9.33	95.9
K3460-16	YANX0	16	1.13	9.73	9.4	96.2
K3460-17	YANY6	17	1.15	9.8	9.48	96.3
K3460-18	YANY7	18	1.19	9.98	9.55	95.1
K3460-19	YANY9	19	1.18	9.78	8.58	86.0
K3460-20	YANZ2	20	1.14	9.92	9.51	95.3
K3460-21	YANZ2MS	21	1.14	9.92	9.51	95.3
K3460-22	YANZ2MSD	22	1.14	9.92	9.51	95.3
K3460-23	VHBLK01	23	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$