



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB103552

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3158-05	OK-03-062019	1	100.05	0.00	06/21/2019	10:40
2	K3158-05DUP	OK-03-062019DUP	1	100.06	0.00	06/21/2019	10:48
3	K3470-02	SAMPLE-4	1	100.04	0.00	06/21/2019	10:55
4	K3470-06	SAMPLE-5	1	100.03	0.00	06/21/2019	11:05
5	K3470-10	SAMPLE-6	1	100.07	0.00	06/21/2019	11:12
6	K3471-01	WASTE	1	100.02	5.00	06/21/2019	11:20

WORKLIST(Hardcopy Internal Chain)

LB 103552

WorkList Name : PF62119

WorkList ID : 127715

Date : 06-21-2019 09:18:26

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/20/2019	Solid	K3158-05	Paint Filter	Cool 4 deg C	PSEG05	K23	OK-03-062019	06/20/2019	9095B
06/20/2019	Solid	K3470-02	Paint Filter	Cool 4 deg C	PSEG01	K23	SAMPLE-4	06/20/2019	9095B
06/20/2019	Solid	K3470-06	Paint Filter	Cool 4 deg C	PSEG01	K23	SAMPLE-5	06/20/2019	9095B
06/20/2019	Solid	K3470-10	Paint Filter	Cool 4 deg C	PSEG01	K23	SAMPLE-6	06/20/2019	9095B
06/20/2019	Solid	K3471-01	Paint Filter	Cool 4 deg C	RMJE02	J22	WASTE	06/20/2019	9095B

Date/Time 06/21/19 10:30
 Received by: KS
 Relinquished by: CP

Date/Time 06/21/19 11:25
 Received by: CP
 Relinquished by: KS