



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/15/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:30
In Date: 07/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 07/13/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-Oven

QC:LB103939

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3793-01	MH11J3	1	1.00	2.00	2.00	100.0
K3793-02	MH11J4	2	1.00	2.00	2.00	100.0
K3793-03	MH11J5	3	1.00	2.00	2.00	100.0
K3793-04	MH11J6	4	1.00	2.00	2.00	100.0
K3793-05	MH11J7	5	1.00	2.00	2.00	100.0
K3793-06	MH11J7D	6	1.00	2.00	2.00	100.0
K3793-07	MH11J7S	7	1.00	2.00	2.00	100.0
K3793-08	MH11J8	8	1.00	2.00	2.00	100.0
K3793-09	MH11J9	9	1.00	2.00	2.00	100.0
K3793-10	MH11K0	10	1.00	2.00	2.00	100.0
K3793-11	MH11K1	11	1.00	2.00	2.00	100.0
K3793-12	MH11K2	12	1.00	2.00	2.00	100.0
K3793-13	MH11K4	13	1.00	2.00	2.00	100.0
K3793-14	MH11K5	14	1.00	2.00	2.00	100.0
K3793-15	MH11K6	15	1.00	2.00	2.00	100.0
K3793-16	MH11K7	16	1.00	2.00	2.00	100.0
K3793-17	MH11K9	17	1.00	2.00	2.00	100.0
K3793-18	MH11L0	18	1.00	2.00	2.00	100.0
K3793-19	MH11L1	19	1.00	2.00	2.00	100.0
K3793-20	MH11L2	20	1.00	2.00	2.00	100.0
K3793-21	MH11L3	21	1.00	2.00	2.00	100.0
K3793-22	MH11L4	22	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$