



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/15/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 15:35
In Date: 07/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:05
Out Date: 07/13/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-Oven

QC:LB103940

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3794-01	MH11K3	1	1.00	2.00	2.00	100.0
K3794-02	MH11K3D	2	1.00	2.00	2.00	100.0
K3794-03	MH11K3S	3	1.00	2.00	2.00	100.0
K3794-04	MH11L5	4	1.00	2.00	2.00	100.0
K3794-05	MH11L6	5	1.00	2.00	2.00	100.0
K3794-06	MH11L7	6	1.00	2.00	2.00	100.0
K3794-07	MH11L8	7	1.00	2.00	2.00	100.0
K3794-08	MH11L9	8	1.00	2.00	2.00	100.0
K3794-09	MH11M0	9	1.00	2.00	2.00	100.0
K3794-10	MH11M1	10	1.00	2.00	2.00	100.0
K3794-11	MH11M2	11	1.00	2.00	2.00	100.0
K3794-12	MH11M3	12	1.00	2.00	2.00	100.0
K3794-13	MH11M4	13	1.00	2.00	2.00	100.0
K3794-14	MH11M5	14	1.00	2.00	2.00	100.0
K3794-15	MH11M6	15	1.00	2.00	2.00	100.0
K3794-16	MH11M7	16	1.00	2.00	2.00	100.0
K3794-17	MH11M8	17	1.00	2.00	2.00	100.0
K3794-18	MH11M9	18	1.00	2.00	2.00	100.0
K3794-19	MH11N0	19	1.00	2.00	2.00	100.0
K3794-20	MH11N1	20	1.00	2.00	2.00	100.0
K3794-21	MH11N2	21	1.00	2.00	2.00	100.0
K3794-22	MH11N3	22	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$