



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB103967

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3620-01	CL-01-071219-A	1	100.03	0.00	07/15/2019	10:55
2	K3620-01DUP	CL-01-071219-ADUP	1	100.09	0.00	07/15/2019	11:05
3	K3620-03	CL-01-071219-B	1	100.04	0.00	07/15/2019	11:15
4	K3620-05	CL-01-071219-C	1	100.06	0.00	07/15/2019	11:22
5	K3620-07	CL-01-071219-D	1	100.08	0.00	07/15/2019	11:30
6	K3620-09	CL-01-071219-E	1	100.07	0.00	07/15/2019	11:40
7	K3778-01	STOCKPILE-COMP	1	100.04	0.00	07/15/2019	11:48

WORKLIST(Hardcopy Internal Chain)

LB 103967

WorkList Name : PF71519 WorkList ID : 128550 Department : Wet-Chemistry Date : 07-15-2019 09:24:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/12/2019	Solid	K3620-01	Paint Filter	Cool 4 deg C	PSEG05	M42	CL-01-071219-A	07/12/2019	9095B
07/12/2019	Solid	K3620-03	Paint Filter	Cool 4 deg C	PSEG05	M42	CL-01-071219-B	07/12/2019	9095B
07/12/2019	Solid	K3620-05	Paint Filter	Cool 4 deg C	PSEG05	M42	CL-01-071219-C	07/12/2019	9095B
07/12/2019	Solid	K3620-07	Paint Filter	Cool 4 deg C	PSEG05	M42	CL-01-071219-D	07/12/2019	9095B
07/12/2019	Solid	K3620-09	Paint Filter	Cool 4 deg C	PSEG05	M42	CL-01-071219-E	07/12/2019	9095B
07/12/2019	Solid	K3778-01	Paint Filter	Cool 4 deg C	PSEG01	M41	STOCKPILE-COMP	07/12/2019	9095B

Date/Time 07/15/19 10:45
 Received by: KS
 Relinquished by: CP

Date/Time 07/15/19 11:55
 Received by: CP
 Relinquished by: KS