



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB104154

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3887-01	AOC-7 (1)	1	100.03	0.00	07/22/2019	08:45
2	K3887-01DUP	AOC-7 (1) DUP	1	100.02	0.00	07/22/2019	08:52
3	K3887-03	AOC-7 (2)	1	100.01	0.00	07/22/2019	09:02
4	K3887-05	AOC-7 (3)	1	100.07	0.00	07/22/2019	09:10
5	K3887-07	AOC-7 (4)	1	100.04	0.00	07/22/2019	09:18
6	K3900-01	SOIL-COMP	1	100.06	0.00	07/22/2019	09:25

WORKLIST(Hardcopy Internal Chain)

LB104154

WorkList Name : PF72019 WorkList ID : 128835 Department : Wet-Chemistry Date : 07-20-2019 13:28:41

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/18/2019	Solid	K3887-01	Paint Filter	Cool 4 deg C	TULL02	M62	AOC-7(1)	07/18/2019	9095B
07/18/2019	Solid	K3887-03	Paint Filter	Cool 4 deg C	TULL02	M62	AOC-7(2)	07/18/2019	9095B
07/18/2019	Solid	K3887-05	Paint Filter	Cool 4 deg C	TULL02	M62	AOC-7(3)	07/18/2019	9095B
07/18/2019	Solid	K3887-07	Paint Filter	Cool 4 deg C	TULL02	M62	AOC-7(4)	07/18/2019	9095B
07/18/2019	Solid	K3900-01	Paint Filter	Cool 4 deg C	PSEG01	M61	SOIL-COMP	07/18/2019	9095B

Date/Time 07/22/19 08:30
 Received by: KS
 Relinquished by: JP

Date/Time 07/22/19 09:30
 Received by: JP
 Relinquished by: KS