



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 7/29/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 16:10
In Date: 07/26/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:05
Out Date: 07/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104249

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
K3963-01	MBEP25	1	1.14	9.64	3.51	27.9
K3963-02	MBEP26	2	1.14	9.77	4.22	35.7
K3963-03	MBEP29	3	1.13	9.8	5.46	49.9
K3963-04	MBEP33	4	1.15	9.95	3.99	32.3
K3963-05	MBEP27	5	1.14	9.67	3.46	27.2
K3963-06	MBEP28	6	1.14	9.98	3.63	28.2
K3963-07	MBEP30	7	1.15	9.79	3.52	27.4
K3963-08	MBEP30D	8	1.15	9.79	3.52	27.4
K3963-09	MBEP30S	9	1.15	9.79	3.52	27.4
K3963-10	MBEP03	10	1.13	9.53	7.43	75.0
K3963-11	MBEP04	11	1.12	9.88	8.27	81.6
K3963-12	MBEP05	12	1.13	9.69	7.63	75.9
K3963-13	MBEP06	13	1.14	9.7	7.62	75.7
K3963-14	MBEP07	14	1.13	9.68	7.02	68.9
K3963-15	MBEP08	15	1.14	9.52	7.84	80.0
K3963-16	MBEP09	16	1.13	9.85	7.12	68.7
K3963-17	MBEP10	17	1.14	9.54	7.32	73.6
K3963-18	MBENZ4	18	1.12	9.7	5.03	45.6
K3963-19	MBENZ5	19	1.14	9.56	4.88	44.4
K3963-20	MBENZ6	20	1.14	9.92	6.47	60.7
K3963-21	MBENZ7	21	1.14	9.65	5.15	47.1
K3963-22	MBENZ8	22	1.13	9.71	5.14	46.7

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$