



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB104333

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K3618-09	HD-02-073019	1	100.03	0.00	07/31/2019	11:32
2	K3618-09DUP	HD-02-073019DUP	1	100.08	0.00	07/31/2019	11:40
3	K4066-01	TP-1-A	1	100.07	0.00	07/31/2019	11:48
4	K4066-07	TP-11	1	100.09	0.00	07/31/2019	11:55
5	K4066-11	TP-12	1	100.06	0.00	07/31/2019	12:05
6	K4066-15	TP-13	1	100.03	0.00	07/31/2019	12:12

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF73119 WorkList ID : 129245 Department : Wet-Chemistry Date : 07-31-2019 09:51:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/30/2019	Solid	K3618-09	Paint Filter	Cool 4 deg C	PSEG05	N11	HD-02-073019	07/30/2019	9095B
07/29/2019	Solid	K4066-01	Paint Filter	Cool 4 deg C	PSEG01	N11	TP-1-A	07/29/2019	9095B
07/29/2019	Solid	K4066-07	Paint Filter	Cool 4 deg C	PSEG01	N11	TP-11	07/29/2019	9095B
07/29/2019	Solid	K4066-11	Paint Filter	Cool 4 deg C	PSEG01	N11	TP-12	07/29/2019	9095B
07/29/2019	Solid	K4066-15	Paint Filter	Cool 4 deg C	PSEG01	N11	TP-13	07/29/2019	9095B

Date/Time 07/31/19 11:20
 Received by: KS
 Relinquished by: JP

Date/Time 07/31/19 12:15
 Received by: JP
 Relinquished by: KS