

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB104347

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP74519
IODINE SOLUTION .025N 1L	W2480
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB121867BL		1	5.03	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	07/31/2019	14:32
2	K3618-10		1	5.02	50	2.00	1.92	3.80	1.88	0.12	0.04	3.19	07/31/2019	14:35
3	K3618-10DUP		1	5.04	50	2.00	3.80	5.70	1.90	0.10	0.02	1.59	07/31/2019	14:38
4	K4066-02		1	5.05	50	2.00	5.70	7.56	1.86	0.14	0.06	4.75	07/31/2019	14:42
5	K4066-08		1	5.00	50	2.00	0.00	1.88	1.88	0.12	0.04	3.20	07/31/2019	14:45
6	K4066-12		1	5.02	50	2.00	1.88	3.66	1.78	0.22	0.14	11.16	07/31/2019	14:48
7	K4066-16		1	5.03	50	2.00	3.66	5.56	1.90	0.10	0.02	1.59	07/31/2019	14:52
8	K4074-11		1	5.02	50	2.00	5.56	7.42	1.86	0.14	0.06	4.78	07/31/2019	14:55
9	K4074-12		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	07/31/2019	14:58
10	K4077-02		1	5.02	50	2.00	1.86	3.76	1.90	0.10	0.02	1.59	07/31/2019	15:02

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume