



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: TPH
Run Number: LB104416
Analysis Date: 08/05/2019
BalanceID: WC SC-3
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: apatel
Extraction Date: 08/05/2019
Extraction IN Time: 07:25
Extraction OUT Time: 08:00

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB104416BL	LB104416BL	WATER	1.3	1000	100	2.4691	2.4691	3.02	2.4691	2.4691	0.0000	0
2	LB104416BS	LB104416BS	WATER	1.3	1000	100	2.1033	2.1033	3.01	2.1219	2.1219	0.0186	18.6
3	LB104416BSD	LB104416BSD	WATER	1.3	1000	100	2.4714	2.4714	3.03	2.4902	2.4902	0.0188	18.8
4	K4114-01	CS-TEST-PIT	WATER	1.3	1000	100	2.9737	2.9737	3.05	2.9751	2.9751	0.0014	1.4
5	K4142-01	399L-241L	WATER	1.3	1000	100	3.0554	3.0554	3.04	3.0567	3.0567	0.0013	1.3



QC Batch# LB104416 Test: TPH Analysis Date: 08/05/2019

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2539
pH Paper 0-14	M4240
Sodium Sulfate	EP1977
1:1 HCL	WP74116
Silica Gel	W2546
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP74117
LCSWD	10.00 ML	WP74118
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance:	<u>0.0019</u>	In OVEN TEMP :	<u>70</u>	Dessicator Time In :	<u>09:21</u>
1.0000 gram Balance:	<u>1.0005</u>	In Time:	<u>08:20</u>		
Bal Check Time:	<u>07:35</u>	Out OVEN TEMP:	<u>70</u>	Dessicator Time Out:	<u>09:40</u>
		Out Time:	<u>09:20</u>		

After Analysis

0.0020 gram Balance:	<u>0.0021</u>	In OVEN TEMP :	<u>71</u>	Dessicator Time In :	<u>10:46</u>
1.0000 gram Balance:	<u>1.0004</u>	In Time:	<u>10:15</u>		
Bal Check Time:	<u>12:00</u>	Out OVEN TEMP:	<u>71</u>	Dessicator Time Out:	<u>11:15</u>
		Out Time:	<u>10:45</u>		

LB104416

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TPH K4142 WorkList ID : 129376 Department : Wet-Chemistry Date : 08-05-2019 7:15:02

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/06/2019	Water	K4114-01 -K	TPH	Conc H2SO4 4c	PSEG01	N13	CS-TEST-PIT	08/01/2019	1664A
08/08/2019	Water	K4142-01 -K	TPH	Conc H2SO4 4c	PSEG01	N21	399L-241L	08/02/2019	1664A

Date/Time 08/05/19 7:20
Received by: JP
Relinquished by: CE

Date/Time 08/05/19 9:00
Received by: JP
Relinquished by: JP