



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: Non-Polar Material
Run Number: LB104462
Analysis Date: 08/07/2019
BalanceID: WC SC-3
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: apatel
Extraction Date: 08/07/2019
Extraction IN Time: 07:50
Extraction OUT Time: 08:35

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB104462BL	LB104462BL	WATER	2	1000	100	2.4169	2.4169	3.02	2.4169	2.4169	0.0000	0
2	LB104462BS	LB104462BS	WATER	2	1000	100	2.1603	2.1603	3.02	2.1791	2.1791	0.0188	18.8
3	LB104462BSD	LB104462BSD	WATER	2	1000	100	2.4746	2.4746	3.01	2.4936	2.4936	0.0190	19
4	K4179-02	NON-POLAR-MATERIAL	WATER	2	1000	100	2.9147	2.9147	3.03	2.9199	2.9199	0.0052	5.2
5	K4179-03	NON-POLAR-MATERIAL	WATER	2	1000	100	2.1036	2.1036	3.04	2.1097	2.1097	0.0061	6.1
6	K4179-04	NON-POLAR-MATERIAL	WATER	2	1000	100	2.4667	2.4667	3.05	2.4721	2.4721	0.0054	5.4
7	K4179-05	NON-POLAR-MATERIAL	WATER	2	1000	100	1.7036	1.7036	3.04	1.7087	1.7087	0.0051	5.1



QC Batch# LB104462 Test: Non-Polar Mate Analysis Date: 08/07/2019

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2566
pH Paper 0-14	M4240
Sodium Sulfate	EP1977
1:1 HCL	WP74116
Silica Gel	W2546
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP74119
LCSWD	10.00 ML	WP74118
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance:	<u>0.0019</u>	In OVEN TEMP :	<u>70</u>	Dessicator Time In :	<u>10:16</u>
1.0000 gram Balance:	<u>1.0005</u>	In Time:	<u>09:15</u>		
Bal Check Time:	<u>08:10</u>	Out OVEN TEMP:	<u>70</u>	Dessicator Time Out:	<u>10:40</u>
		Out Time:	<u>10:15</u>		

After Analysis

0.0020 gram Balance:	<u>0.0021</u>	In OVEN TEMP :	<u>71</u>	Dessicator Time In :	<u>11:46</u>
1.0000 gram Balance:	<u>1.0004</u>	In Time:	<u>11:15</u>		
Bal Check Time:	<u>13:00</u>	Out OVEN TEMP:	<u>71</u>	Dessicator Time Out:	<u>12:15</u>
		Out Time:	<u>11:45</u>		

LB 104462

WORKLIST(Hardcopy Internal Chain)

WorkList Name : NON POPLAR K4179 WorkList ID : 129480 Department : Wet-Chemistry Date : 08-07-2019 7:35:07

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/19/2019	Water	K4179-02	✓ Non-Polar Material	Conc H2SO4 t	AMER08	O32	NON-POLAR-MATERIAL	08/06/2019	1664A
08/19/2019	Water	K4179-03	✓ Non-Polar Material	Conc H2SO4 t	AMER08	O32	NON-POLAR-MATERIAL	08/06/2019	1664A
08/19/2019	Water	K4179-04	✓ Non-Polar Material	Conc H2SO4 t	AMER08	O32	NON-POLAR-MATERIAL	08/06/2019	1664A
08/19/2019	Water	K4179-05	✓ Non-Polar Material	Conc H2SO4 t	AMER08	O32	NON-POLAR-MATERIAL	08/06/2019	1664A

Date/Time 08/07/19 21:40
Received by: SP
Relinquished by: SP

Date/Time 08/07/19 10:33
Received by: SP
Relinquished by: SP