



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB104467

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K4178-01	370-371	1	100.03	0.00	08/07/2019	11:15
2	K4178-01DUP	370-371DUP	1	100.04	0.00	08/07/2019	11:22
3	K4192-02	TRIPLE-BARREL-BC-WES	1	100.09	0.00	08/07/2019	11:30
4	K4192-04	TRIPLE-BARREL-BC-EAS	1	100.05	0.00	08/07/2019	11:38
5	K4196-01	WC-073119-SOIL	1	100.06	0.00	08/07/2019	11:45

WORKLIST(Hardcopy Internal Chain)

LB 104467

WorkList Name : PF8719

WorkList ID : 129508

Department : Wet-Chemistry

Date : 08-07-2019 09:51:38

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/06/2019	Solid	K4178-01	Paint Filter	Cool 4 deg C	PSEG01	N23	370-371	08/06/2019	9095B
08/06/2019	Solid	K4192-02	Paint Filter	Cool 4 deg C	TULL02	P31	TRIPLE-BARREL-BC-WEST	08/06/2019	9095B
08/06/2019	Solid	K4192-04	Paint Filter	Cool 4 deg C	TULL02	P31	TRIPLE-BARREL-BC-EAST	08/06/2019	9095B
07/31/2019	Solid	K4196-01	Paint Filter	Cool 4 deg C	PARS15	P41	WC-073119-SOIL	07/31/2019	9095B

Date/Time 08/07/19 11:05
 Received by: KS
 Relinquished by: JP

Date/Time 08/07/19 11:50
 Received by: JP
 Relinquished by: KS