

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB104605

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP76826
IODINE SOLUTION .025N 1L	W2480
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (mL)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB122271BL		1	50	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	08/14/2019	11:45
2	K4329-04		1	50	50	2.00	1.94	3.84	1.90	0.10	0.04	0.32	08/14/2019	11:48
3	K4329-04DUP		1	50	50	2.00	3.84	5.76	1.92	0.08	0.02	0.16	08/14/2019	11:50
4	K4333-02		1	50	50	2.00	5.76	7.68	1.92	0.08	0.02	0.16	08/14/2019	11:52

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume