



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/19/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:46
In Date: 08/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104660

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K4350-01	SS-15_081319	1	1.14	9.98	8.66	85.1	
K4350-02	SS-16_081319	2	1.14	9.83	8.61	86.0	
K4350-03	SS-17A_081519	3	1.16	9.97	8.8	86.7	
K4350-04	SS-18_081519	4	1.13	9.82	8.84	88.7	
K4350-05	SP-01_081319	5	1.13	9.82	8.22	81.6	
K4350-06	SP-02_081319	6	1.12	9.67	8.19	82.7	
K4350-07	SP-03_081519	7	1.13	9.64	8.38	85.2	
K4350-14	SS-19_081419	8	1.12	9.77	8.41	84.3	
K4350-15	SS-20_081419	9	1.14	9.76	7.33	71.8	
K4350-16	SS-21_081419	10	1.12	9.67	8.51	86.4	
K4350-17	SS-22_081419	11	1.13	9.98	8.78	86.4	
K4380-01	STOCKPILE-175-LANDERS-	12	1.13	9.57	8.85	91.5	
K4384-01	B-1 (3.5-4)	13	1.12	9.68	8.75	89.1	
K4384-02	B-2 (1.5-2.5)	14	1.13	9.65	8.59	87.6	
K4384-03	B-3 (3-4)	15	1.12	9.72	8.7	88.1	
K4384-04	B4 (3-4)	16	1.14	9.65	8.77	89.7	
K4385-01	T8-A1-A4- (0-2)	17	1.14	9.66	8.7	88.7	
K4385-02	T8-A1- (0)	18	1.15	9.98	8.99	88.8	
K4385-03	T8-A2- (0)	19	1.18	9.7	8.68	88.0	
K4385-04	T8-A3- (0)	20	1.17	9.6	8.67	89.0	
K4385-05	T8-A4- (0)	21	1.15	9.94	9.04	89.8	
K4385-06	T8-A1- (2)	22	1.17	9.87	8.9	88.9	
K4385-07	T8-A2- (2)	23	1.14	9.69	8.72	88.7	
K4385-08	T8-A3- (2)	24	1.12	9.53	8.45	87.2	
K4385-09	T8-A4- (2)	25	1.18	9.73	8.69	87.8	
K4385-10	T8-B- (0-2)	26	1.16	9.97	9.32	92.6	
K4385-11	T8-B- (0)	27	1.16	9.57	8.47	86.9	
K4385-12	T8-B- (2)	28	1.11	9.6	8.66	88.9	
K4385-13	T8-C- (0-2)	29	1.16	9.59	8.7	89.4	
K4385-14	T8-C- (0)	30	1.11	9.56	8.77	90.7	
K4385-15	T8-C- (2)	31	1.15	9.98	9.47	94.2	
K4385-16	T8-D- (0-2)	32	1.14	9.97	9.2	91.3	
K4385-17	T8-D- (0)	33	1.1	9.81	8.91	89.7	
K4385-18	T8-D- (2)	34	1.14	9.63	8.87	91.0	
K4385-19	T8-E1-E4- (0-2)	35	1.15	9.53	8.66	89.6	
K4385-20	T8-E1- (0)	36	1.14	6.97	6.4	90.2	
K4386-01	T8-E2- (0)	37	1.15	9.98	9.08	89.8	
K4386-02	T8-E3- (0)	38	1.14	9.92	9.11	90.8	
K4386-03	T8-E4- (0)	39	1.13	9.88	9.08	90.9	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/19/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:46
In Date: 08/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104660

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K4386-04	T8-E1- (2)	40	1.13	9.97	9.48	94.5	
K4386-05	T8-E2- (2)	41	1.12	9.92	8.9	88.4	
K4386-06	T8-E3- (2)	42	1.13	9.5	8.68	90.2	
K4386-07	T8-E4- (2)	43	1.14	9.82	8.85	88.8	
K4386-08	T8-F- (0-2)	44	1.14	9.87	8.82	88.0	
K4386-09	T8-F- (0)	45	1.14	9.56	8.57	88.2	
K4386-10	T8-F- (2)	46	1.15	9.74	8.74	88.4	
K4386-11	T6-A1-A4- (0-2)	47	1.13	9.78	8.58	86.1	
K4386-12	T6-A1- (0)	48	1.15	9.69	8.46	85.6	
K4386-13	T6-A2- (0)	49	1.14	9.81	8.61	86.2	
K4386-14	T6-A3- (0)	50	1.14	9.98	9.00	88.9	
K4386-15	T6-A4- (0)	51	1.13	9.64	8.36	85.0	
K4386-16	T6-A1- (2)	52	1.13	9.5	8.29	85.5	
K4386-17	T6-A2- (2)	53	1.15	9.66	8.44	85.7	
K4386-18	T6-A3- (2)	54	1.13	9.97	9.02	89.3	
K4386-19	T6-A4- (2)	55	1.14	9.96	8.62	84.8	
K4386-20	T6-B- (0-2)	56	1.16	9.98	8.93	88.1	
K4387-01	T6-B- (0)	57	1.14	9.96	9.15	90.8	
K4387-02	T6-B- (2)	58	1.13	9.61	8.66	88.8	
K4387-03	T6-C- (0-2)	59	1.13	9.89	8.8	87.6	
K4387-04	T6-C- (0)	60	1.14	9.98	8.89	87.7	
K4387-05	T6-C- (2)	61	1.13	9.84	8.73	87.3	
K4387-06	T6-D- (0-2)	62	1.13	9.5	8.34	86.1	
K4387-07	T6-D- (0)	63	1.13	9.97	9.34	92.9	
K4387-08	T6-D- (2)	64	1.13	9.53	8.27	85.0	
K4387-09	T4-A1-A4- (0-2)	65	1.13	9.51	8.38	86.5	
K4387-10	T4-A1- (0)	66	1.12	9.52	8.39	86.5	
K4387-11	T4-A2- (0)	67	1.12	9.95	8.81	87.1	
K4387-12	T4-A3- (0)	68	1.12	9.98	8.84	87.1	
K4387-13	T4-A4- (0)	69	1.12	9.98	8.87	87.5	
K4387-14	T4-A1- (2)	70	1.15	7.25	6.18	82.5	
K4387-15	T4-A2- (2)	71	1.13	9.56	8.43	86.6	
K4387-16	T4-A3- (2)	72	1.13	9.61	8.52	87.1	
K4387-17	T4-A4- (2)	73	1.15	8.53	7.6	87.4	
K4387-18	T4-B1-B4- (0-2)	74	1.14	9.5	8.44	87.3	
K4387-19	T4-B1- (0)	75	1.14	9.87	8.69	86.5	
K4387-20	T4-B2- (0)	76	1.12	9.56	8.58	88.4	
K4388-01	T4-B3- (0)	77	1.14	9.97	9.45	94.1	
K4388-02	T4-B4- (0)	78	1.13	6.8	6.00	85.9	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/19/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:46
In Date: 08/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104660

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K4388-03	T4-B1-(2)	79	1.12	9.83	8.81	88.3	
K4388-04	T4-B2-(2)	80	1.12	9.64	8.48	86.4	
K4388-05	T4-B3-(2)	81	1.14	9.88	9.05	90.5	
K4388-06	T4-B4-(2)	82	1.13	9.05	8.15	88.6	
K4388-07	T4-C-(0-2)	83	1.14	9.68	8.56	86.9	
K4388-08	T4-C-(0)	84	1.13	9.66	8.6	87.6	
K4388-09	T4-C-(2)	85	1.13	9.56	8.59	88.5	
K4388-10	T4-D-(0-2)	86	1.13	9.55	8.73	90.3	
K4388-11	T4-D-(0)	87	1.13	9.32	8.66	91.9	
K4388-12	T4-D-(2)	88	1.13	9.1	7.98	85.9	
K4388-13	T4-E-(0-2)	89	1.14	9.98	9.11	90.2	
K4388-14	T4-E-(0)	90	1.14	9.95	9.16	91.0	
K4388-15	T4-E-(2)	91	1.12	9.97	9.11	90.3	
K4388-16	T6-E1-E2-(0-2)	92	1.12	9.61	8.4	85.7	
K4388-17	T6-E1-(0)	93	1.12	9.97	9.07	89.8	
K4388-18	T6-E2-(0)	94	1.14	9.62	8.58	87.7	
K4388-19	T6-E3-(0)	95	1.12	9.97	8.51	83.5	
K4388-20	T6-E4-(0)	96	1.14	9.98	8.97	88.6	
K4389-01	T6-E1(2)	97	1.13	9.83	8.74	87.5	
K4389-02	T6-E2(2)	98	1.12	9.96	9.08	90.0	
K4389-03	T6-E3(2)	99	1.14	8.95	7.96	87.3	
K4389-04	T6-E4(2)	100	1.13	9.91	9.05	90.2	
K4389-05	T4-F(0-2)	101	1.13	9.98	8.76	86.2	
K4389-06	T4-F(0)	102	1.14	9.64	8.44	85.9	
K4389-07	T4-F(2)	103	1.13	9.63	8.99	92.5	
K4390-01	TP-26S	104	1.13	9.55	6.91	68.6	
K4390-03	TP-25S	105	1.14	9.98	8.33	81.3	
K4390-05	TP-24S	106	1.13	9.91	8.02	78.5	
K4390-07	TP-24D	107	1.13	9.97	6.14	56.7	
K4390-09	TP-23S	108	1.14	9.61	8.47	86.5	
K4390-11	TP-23D	109	1.13	9.56	7.65	77.3	
K4390-13	TP-32S	110	1.14	9.64	7.57	75.6	
K4391-01	N-WALL-1	111	1.14	9.54	6.87	68.2	
K4391-02	N-WALL-2	112	1.12	9.56	7.45	75.0	
K4391-03	E-CORNER	113	1.13	9.98	7.65	73.7	
K4391-04	BOTTOM-1	114	1.13	9.96	8.22	80.3	
K4391-05	W-WALL	115	1.15	9.98	7.71	74.3	
K4391-06	N-WALL-0	116	1.13	9.5	7.09	71.2	
K4391-07	S-CORNER-1	117	1.16	9.98	7.32	69.8	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/19/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:46
In Date: 08/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104660

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K4391-08	S-CORNER-2	118	1.13	9.56	7.39	74.3	
K4391-09	BOTTOM-2	119	1.12	9.89	7.48	72.5	
K4394-01	HA-31	120	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4394-02	HA-32	121	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4394-03	HA-33	122	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4394-04	HA-34	123	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4396-01	AOC-3-CENTER-5	124	1.13	9.83	8.98	90.2	
K4396-02	AOC-3-CENTER-10	125	1.13	9.88	8.75	87.1	
K4396-03	AOC-3-EAST-A-5	126	1.14	9.98	9.11	90.2	
K4396-04	AOC-3-EAST-A-10	127	1.13	9.97	8.38	82.0	
K4396-05	AOC-3-EAST-B-5	128	1.14	9.98	8.26	80.5	
K4396-06	AOC-3-EAST-B-10	129	1.15	9.65	8.02	80.8	
K4396-07	AOC-3-NORTH-A-5	130	1.12	9.53	8.16	83.7	
K4396-08	AOC-3-NORTH-A-10	131	1.16	9.97	8.34	81.5	
K4396-09	AOC-3-NORTH-B-5	132	1.14	9.6	8.47	86.6	
K4396-10	AOC-3-NORTH-B-10	133	1.12	9.81	8.73	87.6	
K4397-05	SVOC-GPC-BLANK	134	1.00	2.00	2.00	100.0	
K4397-06	PEST-GPC-BLANK	135	1.00	2.00	2.00	100.0	
K4397-07	PEST-GPC-BLANK-SPIKE	136	1.00	2.00	2.00	100.0	
K4397-08	PCB-GPC-BLANK	137	1.00	2.00	2.00	100.0	
K4397-09	PCB-GPC-BLANK-SPIKE	138	1.00	2.00	2.00	100.0	
K4397-10	SVOC-GPC2-BLANK	139	1.00	2.00	2.00	100.0	
K4397-11	PEST-GPC2-BLANK	140	1.00	2.00	2.00	100.0	
K4397-12	PEST-GPC2-BLANK-SPIKE	141	1.00	2.00	2.00	100.0	
K4397-13	PCB-GPC2-BLANK	142	1.00	2.00	2.00	100.0	
K4397-14	PCB-GPC2-BLANK -SPIKE	143	1.00	2.00	2.00	100.0	
K4398-01	AOC-3-SOUTH-A-5	144	1.12	9.84	8.11	80.2	
K4398-02	AOC-3-SOUTH-A-10	145	1.14	9.88	8.21	80.9	
K4398-03	AOC-3-SOUTH-B-5	146	1.14	9.72	8.54	86.2	
K4398-04	AOC-3-SOUTH-B-10	147	1.14	9.98	9.44	93.9	
K4399-01	HA-09	148	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4400-01	HA-13	149	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4400-02	HA-14	150	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4400-03	HA-15	151	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4400-04	HA-22	152	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4400-05	HA-23	153	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K4401-01	TP-1359B-S1	154	1.15	9.54	8.69	89.9	
K4401-02	TP-1359B-S1	155	1.16	9.55	8.75	90.5	
K4401-03	TP-1359B	156	1.13	9.85	9.02	90.5	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/19/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:46
In Date: 08/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 08/17/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104660

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

LB 104660

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/19/2019	Solid	K4350-01	Percent Solids	Cool 4 deg C	POWE02	P63	SS-15_081319	08/13/2019	Chemtech -SO
08/19/2019	Solid	K4350-02	Percent Solids	Cool 4 deg C	POWE02	P63	SS-16_081319	08/13/2019	Chemtech -SO
08/20/2019	Solid	K4350-03	Percent Solids	Cool 4 deg C	POWE02	P63	SS-17A_081519	08/13/2019	Chemtech -SO
08/20/2019	Solid	K4350-04	Percent Solids	Cool 4 deg C	POWE02	P63	SS-18_081519	08/13/2019	Chemtech -SO
08/19/2019	Solid	K4350-05	Percent Solids	Cool 4 deg C	POWE02	P63	SP-01_081319	08/13/2019	Chemtech -SO
08/19/2019	Solid	K4350-06	Percent Solids	Cool 4 deg C	POWE02	P63	SP-02_081319	08/13/2019	Chemtech -SO
08/19/2019	Solid	K4350-07	Percent Solids	Cool 4 deg C	POWE02	P63	SP-03_081519	08/13/2019	Chemtech -SO
08/20/2019	Solid	K4350-14	Percent Solids	Cool 4 deg C	POWE02	P63	SS-19_081419	08/14/2019	Chemtech -SO
08/20/2019	Solid	K4350-15	Percent Solids	Cool 4 deg C	POWE02	P63	SS-20_081419	08/14/2019	Chemtech -SO
08/20/2019	Solid	K4350-16	Percent Solids	Cool 4 deg C	POWE02	P63	SS-21_081419	08/14/2019	Chemtech -SO
08/20/2019	Solid	K4350-17	Percent Solids	Cool 4 deg C	POWE02	P63	SS-22_081419	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-01	Percent Solids	Cool 4 deg C	POWE02	P11	PX-1	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-02	Percent Solids	Cool 4 deg C	POWE02	P11	PX-2	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-03	Percent Solids	Cool 4 deg C	POWE02	P11	PX-3	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-04	Percent Solids	Cool 4 deg C	POWE02	P11	PX-4	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-05	Percent Solids	Cool 4 deg C	POWE02	P11	PX-5	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-06	Percent Solids	Cool 4 deg C	POWE02	P11	PX-6	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-07	Percent Solids	Cool 4 deg C	POWE02	P11	PX-7	08/14/2019	Chemtech -SO
08/22/2019	Solid	K4366-08	Percent Solids	Cool 4 deg C	POWE02	P11	PX-8	08/14/2019	Chemtech -SO
08/23/2019	Solid	K4380-01	Percent Solids	Cool 4 deg C	SAND03	P12	STOCKPILE-175-LANDERS-F	08/13/2019	Chemtech -SO
08/25/2019	Solid	K4384-01	Percent Solids	Cool 4 deg C	BRIN05	P12	B-1(3.5-4)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4384-02	Percent Solids	Cool 4 deg C	BRIN05	P12	B-2(1.5-2.5)	08/15/2019	Chemtech -SO

Date/Time 08/16/19 15:40

Received by: JH

Relinquished by: CS

Date/Time 08/16/19 17:40

Received by: JS

Relinquished by: JS

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/25/2019	Solid	K4384-03	Percent Solids	Cool 4 deg C	BRIN05	P12	B-3(3-4)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4384-04	Percent Solids	Cool 4 deg C	BRIN05	P12	B4(3-4)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-01	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A1-A4-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-02	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A1-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-03	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-04	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-05	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-06	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A1-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-07	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A2-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-08	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A3-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-09	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-A4-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-10	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-B-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-11	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-B-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-12	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-B-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-13	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-C-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-14	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-C-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-15	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-C-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-16	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-D-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-17	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-D-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-18	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-D-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-19	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E1-E4-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4385-20	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E1-(0)	08/15/2019	Chemtech -SO

Date/Time 08/16/19 15:40
 Received by: JB
 Relinquished by: CS

Date/Time 08-16-19 17:40
 Received by: CS
 Relinquished by: JB

VB

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619 WorkList ID : 129908 Department : Wet-Chemistry Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/25/2019	Solid	K4386-01	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-02	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-03	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-04	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E1-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-05	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E2-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-06	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E3-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-07	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-E4-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-08	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-F-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-09	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-F-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-10	Percent Solids	Cool 4 deg C	RAIL01	E51	T8-F-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-11	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A1-A4-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-12	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A1-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-13	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-14	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-15	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-16	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A1-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-17	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A2-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-18	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A3-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-19	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-A4-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4386-20	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-B-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-01	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-B-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-02	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-B-(2)	08/15/2019	Chemtech -SO

Date/Time 08-16-19 15:40 Date/Time 08-16-19 17:40
 Received by: JP Received by: JP
 Relinquished by: JP Relinquished by: JP

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/25/2019	Solid	K4387-03	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-C-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-04	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-C-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-05	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-C-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-06	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-D-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-07	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-D-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-08	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-D-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-09	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A1-A4-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-10	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A1-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-11	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-12	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-13	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-14	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A1-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-15	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A2-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-16	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A3-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-17	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-A4-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-18	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B1-B4-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-19	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B1-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4387-20	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-01	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-02	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-03	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B1-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-04	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B2-(2)	08/15/2019	Chemtech -SO

Date/Time 08/16/19 15:40

Received by: JP

Relinquished by: JP

Date/Time 08/16/19 17:40

Received by: JP

Relinquished by: JP

VB

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/25/2019	Solid	K4388-05	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B3-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-06	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-B4-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-07	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-C-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-08	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-C-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-09	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-C-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-10	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-D-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-11	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-D-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-12	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-D-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-13	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-E-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-14	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-E-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-15	Percent Solids	Cool 4 deg C	RAIL01	E51	T4-E-(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-16	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-E1-E2-(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-17	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-E1-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-18	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-E2-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-19	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-E3-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4388-20	Percent Solids	Cool 4 deg C	RAIL01	E51	T6-E4-(0)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-01	Percent Solids	Cool 4 deg C	RAIL01	E31	T6-E1(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-02	Percent Solids	Cool 4 deg C	RAIL01	E31	T6-E2(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-03	Percent Solids	Cool 4 deg C	RAIL01	E31	T6-E3(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-04	Percent Solids	Cool 4 deg C	RAIL01	E31	T6-E4(2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-05	Percent Solids	Cool 4 deg C	RAIL01	E31	T4-F(0-2)	08/15/2019	Chemtech -SO
08/25/2019	Solid	K4389-06	Percent Solids	Cool 4 deg C	RAIL01	E31	T4-F(0)	08/15/2019	Chemtech -SO

08-16-19 15:40

Date/Time

Received by:

JP

Relinquished by:

CB

Date/Time

08-16-19 17:40

Received by:

CB

Relinquished by:

JP

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/25/2019	Solid	K4389-07	Percent Solids	Cool 4 deg C	RAIL01	E31	T4-F(2)	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4390-01	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-26S	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-03	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-25S	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-05	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-24S	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-07	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-24D	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-09	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-23S	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-11	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-23D	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4390-13	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-32S	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4391-01	Percent Solids	Cool 4 deg C	BART03	P12	N-WALL-1	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-02	Percent Solids	Cool 4 deg C	BART03	P12	N-WALL-2	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-03	Percent Solids	Cool 4 deg C	BART03	P12	E-CORNER	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-04	Percent Solids	Cool 4 deg C	BART03	P12	BOTTOM-1	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-05	Percent Solids	Cool 4 deg C	BART03	P12	W-WALL	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-06	Percent Solids	Cool 4 deg C	BART03	P12	N-WALL-0	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-07	Percent Solids	Cool 4 deg C	BART03	P12	S-CORNER-1	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-08	Percent Solids	Cool 4 deg C	BART03	P12	S-CORNER-2	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4391-09	Percent Solids	Cool 4 deg C	BART03	P12	BOTTOM-2	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4394-01	Percent Solids	Cool 4 deg C	WARR01	P12	HA-31	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4394-02	Percent Solids	Cool 4 deg C	WARR01	P12	HA-32	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4394-03	Percent Solids	Cool 4 deg C	WARR01	P12	HA-33	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4394-04	Percent Solids	Cool 4 deg C	WARR01	P12	HA-34	08/15/2019	Chemtech -SO
08/26/2019	Solid	K4396-01	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-CENTER-5	08/16/2019	Chemtech -SO

Date/Time 08.16.19 15:40
 Received by: Jn
 Relinquished by: CL

Date/Time 08.16.19 17:40
 Received by: CS
 Relinquished by: JD

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619

WorkList ID : 129908

Department : Wet-Chemistry

Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/26/2019	Solid	K4396-02	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-CENTER-10	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-03	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-EAST-A-5	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-04	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-EAST-A-10	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-05	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-EAST-B-5	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-06	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-EAST-B-10	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-07	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-NORTH-A-5	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-08	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-NORTH-A-10	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-09	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-NORTH-B-5	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4396-10	Percent Solids	Cool 4 deg C	TULL02	P13	AOC-3-NORTH-B-10	08/16/2019	Chemtech -SO
08/19/2019	Solid	K4397-05	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-06	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-07	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK-SPIKE	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-08	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-09	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK-SPIKE	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-10	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC2-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-11	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-12	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK-SPIKE	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-13	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK	08/09/2019	Chemtech -SO
08/19/2019	Solid	K4397-14	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK-SPIKE	08/09/2019	Chemtech -SO
08/26/2019	Solid	K4398-01	Percent Solids	Cool 4 deg C	TULL02	P12	AOC-3-SOUTH-A-5	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4398-02	Percent Solids	Cool 4 deg C	TULL02	P12	AOC-3-SOUTH-A-10	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4398-03	Percent Solids	Cool 4 deg C	TULL02	P12	AOC-3-SOUTH-B-5	08/16/2019	Chemtech -SO

Date/Time 08.16.19 15:40

Received by: *JP*

Relinquished by:

Date/Time 08.16.19 17:40

Received by: *JP*

Relinquished by: *JP*

28104660

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-081619 WorkList ID : 12908 Department : Wet-Chemistry Date : 08-16-2019 08:15:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/26/2019	Solid	K4398-04	Percent Solids	Cool 4 deg C	TULL02	P12	AOC-3-SOUTH-B-10	08/16/2019	Chemtech -SO
08/21/2019	Solid	K4399-01	Percent Solids	Cool 4 deg C	WARR01	P13	HA-09	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4400-01	Percent Solids	Cool 4 deg C	WARR01	P13	HA-13	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4400-02	Percent Solids	Cool 4 deg C	WARR01	P13	HA-14	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4400-03	Percent Solids	Cool 4 deg C	WARR01	P13	HA-15	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4400-04	Percent Solids	Cool 4 deg C	WARR01	P13	HA-22	08/15/2019	Chemtech -SO
08/21/2019	Solid	K4400-05	Percent Solids	Cool 4 deg C	WARR01	P13	HA-23	08/15/2019	Chemtech -SO
08/26/2019	Solid	K4401-01	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-1359B-S1	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4401-02	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-1359B-S1	08/16/2019	Chemtech -SO
08/26/2019	Solid	K4401-03	Percent Solids	Cool 4 deg C	PSEG01	N52	TP-1359B	08/16/2019	Chemtech -SO

Date/Time 08.16.19 15:40
 Received by: JA
 Relinquished by: CB

Date/Time 08.16.19 17:40
 Received by: JP
 Relinquished by: JP