



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB104693

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K4095-09	SU-03-081919	1	100.03	0.00	08/20/2019	09:45
2	K4095-09DUP	SU-03-081919DUP	1	100.01	0.00	08/20/2019	09:52
3	K4096-04	TR-05-081919	1	100.02	0.00	08/20/2019	10:02

WORKLIST(Hardcopy Internal Chain)

LB 104693

WorkList Name : PF82019 WorkList ID : 130004 Department : Wet-Chemistry Date : 08-20-2019 08:55:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/19/2019	Solid	K4095-09	H Paint Filter	Cool 4 deg C	PSEG05		SU-03-081919	08/19/2019	9095B
08/19/2019	Solid	K4096-04	F Paint Filter	Cool 4 deg C	PSEG05		TR-05-081919	08/19/2019	9095B

Date/Time 08/20/19 09:30
 Received by: KS
 Relinquished by: JP

Date/Time 08/20/19 10:10
 Received by: JP
 Relinquished by: KS