



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 8/23/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 08/22/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:25
Out Date: 08/23/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB104747

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K4480-01	BF3P7	1	1.14	9.74	8.72	88.1	
K4480-02	BF3P8	2	1.13	9.98	8.96	88.5	
K4480-03	BF3P9	3	1.12	9.88	8.46	83.8	
K4480-04	BF3Q0	4	1.12	9.82	8.58	85.7	
K4480-05	BF3Q0MS	5	1.12	9.82	8.58	85.7	
K4480-06	BF3Q0MSD	6	1.12	9.82	8.58	85.7	
K4480-07	BF3Q1	7	1.13	9.86	7.95	78.1	
K4480-08	BF3Q2	8	1.13	9.84	8.58	85.5	
K4480-09	BF3Q3	9	1.13	9.96	9.33	92.9	
K4480-10	BF3Q4	10	1.12	9.56	8.59	88.5	
K4480-11	BF3Q5	11	1.13	9.89	8.68	86.2	
K4480-12	BF3Q6	12	1.12	9.81	8.44	84.2	
K4480-13	BF3Q7	13	1.13	9.53	8.56	88.5	
K4480-14	BF4E2	14	1.12	9.65	8.65	88.3	
K4480-15	BF4E3	15	1.13	9.76	8.87	89.7	
K4480-16	BF4E4	16	1.14	9.68	8.68	88.3	
K4480-17	BF4R6	17	1.13	9.55	8.13	83.1	
K4480-18	BF4R7	18	1.15	9.67	8.46	85.8	
K4480-19	BF4R8	19	1.13	9.82	7.97	78.7	
K4480-20	BF4R9	20	1.14	9.6	8.67	89.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$