



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB104867

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K4095-13	SU-01-082819	1	100.03	0.00	08/29/2019	09:05
2	K4095-13DUP	SU-01-082819DUP	1	100.02	0.00	08/29/2019	09:15
3	K4568-21	SB-12-COMP	1	100.01	0.00	08/29/2019	09:22
4	K4568-22	SB-15-COMP	1	100.07	0.00	08/29/2019	09:30
5	K4568-23	SB-16-COMP	1	100.04	0.00	08/29/2019	09:38
6	K4568-24	SB-17-COMP	1	100.05	0.00	08/29/2019	09:45
7	K4568-25	SB-18-COMP	1	100.06	0.00	08/29/2019	09:55
8	K4568-26	SB-19-COMP	1	100.08	0.00	08/29/2019	10:05
9	K4568-27	SB-37-COMP	1	100.02	0.00	08/29/2019	10:15
10	K4568-28	SB-36-COMP	1	100.03	0.00	08/29/2019	10:22
11	K4568-29	SB-35-COMP	1	100.09	0.00	08/29/2019	10:30
12	K4568-30	SB-38-COMP	1	100.07	0.00	08/29/2019	10:38
13	K4579-01	PAR-12-A1-A4- (0-3.5)	1	100.05	0.00	08/29/2019	10:45
14	K4579-08	PAR-12-B1-B4- (0-3.5)	1	100.07	0.00	08/29/2019	10:52
15	K4580-03	T12-B1-B4- (0-3.5)	1	100.04	0.00	08/29/2019	11:02
16	K4580-14	T12-A1-A4- (0-3.5)	1	100.04	0.00	08/29/2019	11:10
17	K4581-02	T12-C1-C4- (0-3.5)	1	100.09	0.00	08/29/2019	11:18
18	K4581-11	T12-D1-D4- (0-3.5)	1	100.02	0.00	08/29/2019	11:25
19	K4582-01	RT-3422	1	100.05	0.00	08/29/2019	11:32
20	K4583-01	GS-STOCKPILE	1	100.02	0.00	08/29/2019	11:40

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF82919 WorkList ID : 130382 Department : Wet-Chemistry Date : 08-29-2019 08:50:35

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/28/2019	Solid	K4095-13	Paint Filter	Cool 4 deg C	PSEG05	N12	SU-01-082819	08/28/2019	9095B
08/23/2019	Solid	K4568-21	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-12-COMP	08/23/2019	9095B
08/26/2019	Solid	K4568-22	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-15-COMP	08/26/2019	9095B
08/26/2019	Solid	K4568-23	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-16-COMP	08/26/2019	9095B
08/26/2019	Solid	K4568-24	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-17-COMP	08/26/2019	9095B
08/26/2019	Solid	K4568-25	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-18-COMP	08/26/2019	9095B
08/26/2019	Solid	K4568-26	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-19-COMP	08/26/2019	9095B
08/27/2019	Solid	K4568-27	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-37-COMP	08/27/2019	9095B
08/27/2019	Solid	K4568-28	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-36-COMP	08/27/2019	9095B
08/27/2019	Solid	K4568-29	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-35-COMP	08/27/2019	9095B
08/27/2019	Solid	K4568-30	Paint Filter	Cool 4 deg C	LIRO01	H63	SB-38-COMP	08/27/2019	9095B
08/27/2019	Solid	K4579-01	Paint Filter	Cool 4 deg C	RAIL01	I21	PAR-12-A1-A4-(0-3.5)	08/27/2019	9095B
08/27/2019	Solid	K4579-08	Paint Filter	Cool 4 deg C	RAIL01	I21	PAR-12-B1-B4-(0-3.5)	08/27/2019	9095B
08/27/2019	Solid	K4580-03	Paint Filter	Cool 4 deg C	RAIL01	I41	T12-B1-B4-(0-3.5)	08/27/2019	9095B
08/27/2019	Solid	K4580-14	Paint Filter	Cool 4 deg C	RAIL01	I41	T12-A1-A4-(0-3.5)	08/27/2019	9095B
08/27/2019	Solid	K4581-02	Paint Filter	Cool 4 deg C	RAIL01	I23	T12-C1-C4-(0-3.5)	08/27/2019	9095B
08/27/2019	Solid	K4581-11	Paint Filter	Cool 4 deg C	RAIL01	I23	T12-D1-D4-(0-3.5)	08/27/2019	9095B
08/28/2019	Solid	K4582-01	Paint Filter	Cool 4 deg C	PSEG01	J21	RT-3422	08/28/2019	9095B
08/28/2019	Solid	K4583-01	Paint Filter	Cool 4 deg C	PSEG01	J21	GS-STOCKPILE	08/28/2019	9095B

Date/Time 08/29/19 08:55
 Received by: KS
 Relinquished by: JP

Date/Time 08/29/19 11:45
 Received by: JP
 Relinquished by: KS