

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB104918

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP76826
IODINE SOLUTION .025N 1L	W2508
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB122737BL		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	08/31/2019	13:05
2	K4554-09		1	5.02	50	2.00	1.92	3.80	1.88	0.12	0.04	3.19	08/31/2019	13:08
3	K4554-09DUP		1	5.04	50	2.00	3.80	5.70	1.90	0.10	0.02	1.59	08/31/2019	13:12
4	K4554-30		1	5.05	50	2.00	5.70	7.56	1.86	0.14	0.06	4.75	08/31/2019	13:15
5	K4554-52		1	5.00	50	2.00	0.00	1.84	1.84	0.16	0.08	6.40	08/31/2019	13:18
6	K4625-06		1	5.02	50	2.00	1.84	3.70	1.86	0.14	0.06	4.78	08/31/2019	13:22
7	K4625-08		1	5.03	50	2.00	3.70	5.58	1.88	0.12	0.04	3.18	08/31/2019	13:25

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume