



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB104942

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K4653-01	287	1	100.03	0.00	09/04/2019	10:30
2	K4653-01DUP	287DUP	1	100.02	0.00	09/04/2019	10:40
3	K4655-03	TP-15-S	1	100.01	0.00	09/04/2019	10:48
4	K4655-07	TP-15-D	1	100.07	0.00	09/04/2019	10:55
5	K4668-01	SU-04-090319	1	100.09	0.00	09/04/2019	11:05
6	K4680-01	T1-1-4- (0-1.5)	1	100.06	0.00	09/04/2019	11:15
7	K4680-08	T2-3- (2-4)	1	100.03	0.00	09/04/2019	11:22
8	K4680-11	T3-1-4- (0-1.5)	1	100.04	0.00	09/04/2019	11:30

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF9419

WorkList ID : 130560

Department : Wet-Chemistry

Date : 09-04-2019 08:49:33

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/03/2019	Solid	K4653-01	Paint Filter	Cool 4 deg C	PSEG01	J31	287	09/03/2019	9095B
09/03/2019	Solid	K4655-03	Paint Filter	Cool 4 deg C	PSEG01	J31	TP-15-S	09/03/2019	9095B
09/03/2019	Solid	K4655-07	Paint Filter	Cool 4 deg C	PSEG01	J31	TP-15-D	09/03/2019	9095B
09/03/2019	Solid	K4668-01	Paint Filter	Cool 4 deg C	PSEG05	J31	SU-04-090319	09/03/2019	9095B
09/03/2019	Solid	K4680-01	Paint Filter	Cool 4 deg C	RAIL01	L11	T1-1-4-(0-1.5)	09/03/2019	9095B
09/03/2019	Solid	K4680-08	Paint Filter	Cool 4 deg C	RAIL01	L11	T2-3-(2-4)	09/03/2019	9095B
09/03/2019	Solid	K4680-11	Paint Filter	Cool 4 deg C	RAIL01	L11	T3-1-4-(0-1.5)	09/03/2019	9095B

Date/Time

Received by:

Relinquished by:

09/04/19 10:15

JP

JP

Date/Time

Received by:

Relinquished by:

09/04/19 11:35

JP

JP