

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB104994

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP77620
IODINE SOLUTION .025N 1L	W2508
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB122861BL		1	5.03	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	09/06/2019	12:05
2	K4656-03		1	5.03	50	2.00	1.94	3.84	1.90	0.10	0.04	3.18	09/06/2019	12:08
3	K4656-03DUP		1	5.02	50	2.00	3.84	5.76	1.92	0.08	0.02	1.59	09/06/2019	12:12
4	K4661-03		1	5.00	50	2.00	5.76	7.64	1.88	0.12	0.06	4.80	09/06/2019	12:15
5	K4663-03		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.08	6.37	09/06/2019	12:18
6	K4669-03		1	5.03	50	2.00	1.86	3.76	1.90	0.10	0.04	3.18	09/06/2019	12:22
7	K4716-04		1	5.06	50	2.00	3.76	5.68	1.92	0.08	0.02	1.58	09/06/2019	12:25
8	K4716-08		1	5.02	50	2.00	5.68	7.56	1.88	0.12	0.06	4.78	09/06/2019	12:28

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume