



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: jignesh

Date: 9/9/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 14:30

In Date: 09/07/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:10

Out Date: 09/08/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB105011

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K4574-01	S702B-N-7.0-7.5-082719	1	1.15	9.88	8.32	82.1	
K4574-02	S702B-N-8.0-8.5-082719	2	1.15	9.96	8.61	84.7	
K4574-03	S702B-N-9.0-9.5-082719	3	1.14	9.97	8.49	83.2	
K4574-16	S702B-N-3.0-3.5-082719	4	1.19	9.68	7.05	69.0	
K4574-17	S702B-N-4.0-4.5-082719	5	1.14	9.72	5.39	49.5	
K4636-01	SB-40-6.5-7.0	6	1.15	9.54	9.00	93.6	
K4636-02	SB-40-COMP	7	1.12	9.61	9.24	95.6	
K4636-03	SB-20-9.5-10.0	8	1.18	9.63	8.58	87.6	
K4636-04	SB-20-COMP	9	1.14	9.73	9.00	91.5	
K4636-05	SB-21-7.5-8.0	10	1.18	9.65	8.82	90.2	
K4636-06	SB-21-COMP	11	1.17	9.93	8.59	84.7	
K4636-07	SB-22-6.5-7.0	12	1.15	9.76	8.23	82.2	
K4636-08	SB-22-COMP	13	1.1	9.56	8.43	86.6	
K4636-09	SB-23-14.5-15.0	14	1.18	9.91	7.97	77.8	
K4636-10	SB-23-COMP	15	1.13	9.91	9.01	89.7	
K4636-11	SB-34-9.5-10.0	16	1.14	9.83	8.93	89.6	
K4636-12	SB-34-COMP	17	1.14	9.53	8.54	88.2	
K4636-13	SB-33-9.5-10.0	18	1.14	9.69	5.82	54.7	
K4636-14	SB-33-COMP	19	1.14	9.88	8.63	85.7	
K4636-15	SB-32-10.5-11.0	20	1.14	9.85	8.04	79.2	
K4636-16	SB-32-COMP	21	1.18	9.77	8.32	83.1	
K4736-01	FK-GF-02-045-A	22	1.18	9.85	8.85	88.5	
K4736-02	FK-GF-02-045-A	23	1.18	9.68	8.71	88.6	
K4736-03	FK-GF-02-045-B	24	1.1	9.96	8.98	88.9	
K4736-04	FK-GF-02-045-B	25	1.19	9.88	8.85	88.1	
K4737-01	FK-BPM-04-004-ABCD	26	1.16	9.98	9.12	90.2	
K4737-02	FK-BPM-04-004-ABCD	27	1.1	9.52	8.66	89.8	
K4739-01	FK-BPM-03-009-ABCD	28	1.18	9.69	9.00	91.9	



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: jignesh

Date: 9/9/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 14:30

In Date: 09/07/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:10

Out Date: 09/08/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB105011

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K4739-02	FK-BPM-03-009-ABCD	29	1.14	9.64	9.00	92.5	
K4745-01	FK-PS-01-058	30	1.15	9.95	8.37	82.0	
K4745-02	FK-PS-01-058	31	1.17	9.96	8.38	82.0	
K4751-05	SVOC-GPC-BLANK	32	1.00	2.00	2.00	100.0	
K4751-06	PEST-GPC-BLANK	33	1.00	2.00	2.00	100.0	
K4751-07	PEST-GPC-BLANK-SPIKE	34	1.00	2.00	2.00	100.0	
K4751-08	PCB-GPC-BLANK	35	1.00	2.00	2.00	100.0	
K4751-09	PCB-GPC-BLANK-SPIKE	36	1.00	2.00	2.00	100.0	
K4751-10	SVOC-GPC2-BLANK	37	1.00	2.00	2.00	100.0	
K4751-11	PEST-GPC2-BLANK	38	1.00	2.00	2.00	100.0	
K4751-12	PEST-GPC2-BLANK-SPIKE	39	1.00	2.00	2.00	100.0	
K4751-13	PCB-GPC2-BLANK	40	1.00	2.00	2.00	100.0	
K4751-14	PCB-GPC2-BLANK -SPIKE	41	1.00	2.00	2.00	100.0	
K4752-01	SB-07-7.5-8.0	42	1.15	9.54	8.63	89.2	
K4752-02	SB-07-COMP	43	1.17	9.7	8.87	90.3	
K4752-03	SB-10-9.5-10.0	44	1.14	9.55	8.72	90.1	
K4752-04	SB-10-COMP	45	1.18	9.98	8.9	87.7	
K4752-05	SB-13-14.5-15.0	46	1.18	9.71	8.79	89.2	
K4752-06	SB-13-COMP	47	1.16	9.96	9.09	90.1	
K4752-07	SB-14-14.5-15.0	48	1.17	9.65	8.69	88.7	
K4752-08	SB-14-COMP	49	1.12	9.83	9.03	90.8	
K4752-09	SB-12-9.5-10.0	50	1.18	9.62	9.00	92.7	
K4752-10	SB-12-COMP	51	1.16	9.79	8.59	86.1	
K4752-11	SB-15-14.5-15.0	52	1.15	9.94	9.51	95.1	
K4752-12	SB-15-COMP	53	1.17	9.93	9.54	95.5	
K4752-13	SB-16-9.5-10.0	54	1.17	9.65	9.41	97.2	
K4752-14	SB-16-COMP	55	1.18	9.97	9.46	94.2	
K4752-15	SB-17-18.5-19.0	56	1.18	9.97	9.51	94.8	



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: jignesh

Date: 9/9/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 14:30

In Date: 09/07/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:10

Out Date: 09/08/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB105011

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K4752-16	SB-17-COMP	57	1.16	9.97	9.17	90.9	
K4752-17	SB-18-6.5-7.0	58	1.14	9.69	8.55	86.7	
K4752-18	SB-18-COMP	59	1.14	9.56	8.52	87.6	
K4752-19	SB-20-20.5-21.0	60	1.18	9.98	8.97	88.5	
K4752-20	SB-20-COMP	61	1.11	9.74	8.95	90.8	
K4760-01	EAST-SIDE-WALL-1	62	1.12	9.53	7.81	79.5	
K4760-02	EAST-SIDE-WALL-2	63	1.16	9.77	8.16	81.3	
K4760-03	EAST-SIDE-WALL-3	64	1.18	9.55	6.92	68.6	
K4760-04	SOUTH-SIDE-WALL	65	1.15	9.95	8.97	88.9	
K4760-05	NORTH-SIDE-WALL-1	66	1.12	9.55	8.07	82.4	
K4760-06	NORTH-SIDE-WALL-2	67	1.17	9.77	8.49	85.1	
K4760-07	NORTH-SIDE-WALL-3	68	1.1	9.94	7.87	76.6	
K4760-08	WEST-SIDE-WALL-1	69	1.16	9.97	9.32	92.6	
K4760-09	WEST-SIDE-WALL-2	70	1.17	9.9	7.76	75.5	
K4760-10	WEST-SIDE-WALL-3	71	1.18	9.89	8.42	83.1	
K4761-01	ADLER-BOX-090619	72	1.00	2.00	2.00	100.0	WIPE SAMPLE 100% SOLIDS
K4762-01	STOCK-PILE	73	1.14	9.83	8.65	86.4	
K4762-02	TPH-1-STOCK-PILE	74	1.14	9.77	8.79	88.6	
K4762-03	TPH-2-STOCK-PILE	75	1.18	9.98	8.35	81.5	
K4762-04	TPH-3-STOCK-PILE	76	1.13	9.71	8.91	90.7	
K4762-05	TPH-4-STOCK-PILE	77	1.14	9.65	8.68	88.6	
K4762-06	STOCK-PILE	78	1.11	9.88	8.96	89.5	
K4762-07	TPH-5-STOCK-PILE	79	1.18	9.95	9.00	89.2	
K4763-01	FDS-1	80	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100 % SOLIDS
K4763-02	DSC-1	81	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100 % SOLIDS
K4765-01	390827071	82	1.18	9.98	1.5	3.6	SLUDGE SAMPLE
K4769-01	390822306.4	83	1.12	9.93	2.96	20.9	SLUDGE SAMPLE

18105011

WORKLIST(Hardcopy Internal Chain)

orkList Name : %1-090719 WorkList ID : 130696 Department : Wet-Chemistry Date : 09-07-2019 08:09:12

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/28/2019	Solid	K4574-01	Percent Solids	Cool 4 deg C	JACO05	I21	S702B-N-7.0-7.5-082719	08/27/2019	Chemtech -SO
08/28/2019	Solid	K4574-02	Percent Solids	Cool 4 deg C	JACO05	I21	S702B-N-8.0-8.5-082719	08/27/2019	Chemtech -SO
08/28/2019	Solid	K4574-03	Percent Solids	Cool 4 deg C	JACO05	I21	S702B-N-9.0-9.5-082719	08/27/2019	Chemtech -SO
08/28/2019	Solid	K4574-16	Percent Solids	Cool 4 deg C	JACO05	I21	S702B-N-3.0-3.5-082719	08/27/2019	Chemtech -SO
08/28/2019	Solid	K4574-17	Percent Solids	Cool 4 deg C	JACO05	I21	S702B-N-4.0-4.5-082719	08/27/2019	Chemtech -SO
09/06/2019	Solid	K4636-01	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-40-6.5-7.0	08/28/2019	Chemtech -SO
09/06/2019	Solid	K4636-02	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-40-COMP	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-03	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-20-9.5-10.0	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-04	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-20-COMP	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-05	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-21-7.5-8.0	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-06	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-21-COMP	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-07	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-22-6.5-7.0	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-08	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-22-COMP	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-09	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-23-14.5-15.0	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-10	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-23-COMP	08/29/2019	Chemtech -SO
09/06/2019	Solid	K4636-11	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-34-9.5-10.0	08/30/2019	Chemtech -SO
09/06/2019	Solid	K4636-12	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-34-COMP	08/30/2019	Chemtech -SO
09/06/2019	Solid	K4636-13	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-33-9.5-10.0	08/30/2019	Chemtech -SO
09/06/2019	Solid	K4636-14	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-33-COMP	08/30/2019	Chemtech -SO
09/06/2019	Solid	K4636-15	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-32-10.5-11.0	08/30/2019	Chemtech -SO
09/06/2019	Solid	K4636-16	Percent Solids	Cool 4 deg C	LIRO01	I41	SB-32-COMP	08/30/2019	Chemtech -SO
09/05/2019					THU02	I41	FK-GE-02-045-A	09/05/2019	Chemtech -SO

18105011

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-090719 WorkList ID : 130696 Department : Wet-Chemistry Date : 09-07-2019 08:09:12

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/15/2019	Solid	K4736-02	Percent Solids	Cool 4 deg C	TULL02	L41	FK-GF-02-045-A	09/05/2019	Chemtech -SO
09/15/2019	Solid	K4736-03	Percent Solids	Cool 4 deg C	TULL02	L41	FK-GF-02-045-B	09/05/2019	Chemtech -SO
09/15/2019	Solid	K4736-04	Percent Solids	Cool 4 deg C	TULL02	L41	FK-GF-02-045-B	09/05/2019	Chemtech -SO
09/16/2019	Solid	K4737-01	Percent Solids	Cool 4 deg C	TULL02	L12	FK-BPM-04-004-ABCD	09/06/2019	Chemtech -SO
09/16/2019	Solid	K4737-02	Percent Solids	Cool 4 deg C	TULL02	L12	FK-BPM-04-004-ABCD	09/06/2019	Chemtech -SO
09/16/2019	Solid	K4739-01	Percent Solids	Cool 4 deg C	TULL02	L13	FK-BPM-03-009-ABCD	09/06/2019	Chemtech -SO
09/16/2019	Solid	K4739-02	Percent Solids	Cool 4 deg C	TULL02	L13	FK-BPM-03-009-ABCD	09/06/2019	Chemtech -SO
09/16/2019	Solid	K4745-01	Percent Solids	Cool 4 deg C	TULL02	L13	FK-PS-01-058	09/06/2019	Chemtech -SO
09/16/2019	Solid	K4745-02	Percent Solids	Cool 4 deg C	TULL02	L13	FK-PS-01-058	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4751-05	Percent Solids	Cool 4 deg C	CHEM02	L11	SVOC-GPC-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-06	Percent Solids	Cool 4 deg C	CHEM02	L11	PEST-GPC-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-07	Percent Solids	Cool 4 deg C	CHEM02	L11	PEST-GPC-BLANK-SPIKE	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-08	Percent Solids	Cool 4 deg C	CHEM02	L11	PCB-GPC-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-09	Percent Solids	Cool 4 deg C	CHEM02	L11	PCB-GPC-BLANK-SPIKE	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-10	Percent Solids	Cool 4 deg C	CHEM02	L11	SVOC-GPC2-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-11	Percent Solids	Cool 4 deg C	CHEM02	L11	PEST-GPC2-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-12	Percent Solids	Cool 4 deg C	CHEM02	L11	PEST-GPC2-BLANK-SPIKE	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-13	Percent Solids	Cool 4 deg C	CHEM02	L11	PCB-GPC2-BLANK	08/30/2019	Chemtech -SO
09/09/2019	Solid	K4751-14	Percent Solids	Cool 4 deg C	CHEM02	L11	PCB-GPC2-BLANK-SPIKE	08/30/2019	Chemtech -SO
09/13/2019	Solid	K4752-01	Percent Solids	Cool 4 deg C	LIRO01		SB-07-7.5-8.0	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-02	Percent Solids	Cool 4 deg C	LIRO01		SB-07-COMP	09/05/2019	Chemtech -SO
09/05/2019	Solid	K4752-03	Percent Solids	Cool 4 deg C	LIRO01		SR-10-9.5-10.0	09/05/2019	Chemtech -SO

1-910560111

WORKLIST(Hardcopy Internal Chain)

orkList Name : %1-090719 WorkList ID : 130696 Department : Wet-Chemistry Date : 09-07-2019 08:09:12

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/13/2019	Solid	K4752-04	Percent Solids	Cool 4 deg C	LIRO01		SB-10-COMP	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-05	Percent Solids	Cool 4 deg C	LIRO01		SB-13-14.5-15.0	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-06	Percent Solids	Cool 4 deg C	LIRO01		SB-13-COMP	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-07	Percent Solids	Cool 4 deg C	LIRO01		SB-14-14.5-15.0	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-08	Percent Solids	Cool 4 deg C	LIRO01		SB-14-COMP	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-09	Percent Solids	Cool 4 deg C	LIRO01		SB-12-9.5-10.0	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-10	Percent Solids	Cool 4 deg C	LIRO01		SB-12-COMP	09/05/2019	Chemtech -SO
09/13/2019	Solid	K4752-11	Percent Solids	Cool 4 deg C	LIRO01		SB-15-14.5-15.0	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-12	Percent Solids	Cool 4 deg C	LIRO01		SB-15-COMP	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-13	Percent Solids	Cool 4 deg C	LIRO01		SB-16-9.5-10.0	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-14	Percent Solids	Cool 4 deg C	LIRO01		SB-16-COMP	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-15	Percent Solids	Cool 4 deg C	LIRO01		SB-17-18.5-19.0	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-16	Percent Solids	Cool 4 deg C	LIRO01		SB-17-COMP	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-17	Percent Solids	Cool 4 deg C	LIRO01		SB-18-6.5-7.0	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-18	Percent Solids	Cool 4 deg C	LIRO01		SB-18-COMP	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-19	Percent Solids	Cool 4 deg C	LIRO01		SB-20-20.5-21.0	09/06/2019	Chemtech -SO
09/13/2019	Solid	K4752-20	Percent Solids	Cool 4 deg C	LIRO01		SB-20-COMP	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-01	Percent Solids	Cool 4 deg C	ENVI27	L51	EAST-SIDE-WALL-1	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-02	Percent Solids	Cool 4 deg C	ENVI27	L51	EAST-SIDE-WALL-2	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-03	Percent Solids	Cool 4 deg C	ENVI27	L51	EAST-SIDE-WALL-3	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-04	Percent Solids	Cool 4 deg C	ENVI27	L51	SOUTH-SIDE-WALL	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-05	Percent Solids	Cool 4 deg C	ENVI27	L51	NORTH-SIDE-WALL-1	09/06/2019	Chemtech -SO

26105011

WORKLIST(Hardcopy Internal Chain)

Date : 09-07-2019 08:09:12

Department : Wet-Chemistry

WorkList ID : 130696

orkList Name : %1-090719

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/09/2019	Solid	K4760-06	Percent Solids	Cool 4 deg C	ENVI27	L51	NORTH-SIDE-WALL-2	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-07	Percent Solids	Cool 4 deg C	ENVI27	L51	NORTH-SIDE-WALL-3	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-08	Percent Solids	Cool 4 deg C	ENVI27	L51	WEST-SIDE-WALL-1	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-09	Percent Solids	Cool 4 deg C	ENVI27	L51	WEST-SIDE-WALL-2	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4760-10	Percent Solids	Cool 4 deg C	ENVI27	L51	WEST-SIDE-WALL-3	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4761-01	Percent Solids	Cool 4 deg C	SEVE02	L11	ADLER-BOX-090619	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-01	Percent Solids	Cool 4 deg C	ENVI27	L21	STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-02	Percent Solids	Cool 4 deg C	ENVI27	L21	TPH-1-STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-03	Percent Solids	Cool 4 deg C	ENVI27	L21	TPH-2-STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-04	Percent Solids	Cool 4 deg C	ENVI27	L21	TPH-3-STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-05	Percent Solids	Cool 4 deg C	ENVI27	L21	TPH-4-STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-06	Percent Solids	Cool 4 deg C	ENVI27	L21	STOCK-PILE	09/06/2019	Chemtech -SO
09/09/2019	Solid	K4762-07	Percent Solids	Cool 4 deg C	ENVI27	L21	TPH-5-STOCK-PILE	09/06/2019	Chemtech -SO
09/11/2019	Solid	K4763-01	Percent Solids	Cool 4 deg C	LANG01	L11	FDS-1	09/06/2019	Chemtech -SO
09/11/2019	Solid	K4763-02	Percent Solids	Cool 4 deg C	LANG01	L11	DSC-1	09/06/2019	Chemtech -SO
09/06/2019	Solid	K4765-01	Percent Solids	Cool 4 deg C	GARD04	L11	390827071	08/27/2019	Chemtech -SO
09/01/2019	Solid	K4769-01	Percent Solids	Cool 4 deg C	GARD04	L11	390822306.4	08/22/2019	Chemtech -SO