



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 9/19/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 09/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 09/19/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105206

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K4662-09	CL-02-091819	39	1.12	9.98	9.42	93.7	
K4662-10	CL-02-091819-1	40	1.13	9.51	9.11	95.2	
K4662-11	CL-02-091819-2	41	1.14	9.67	9.24	95.0	
K4662-12	CL-02-091819-3	42	1.12	9.54	9.34	97.6	
K4662-13	CL-02-091819-4	43	1.14	9.54	9.05	94.2	
K4662-14	CL-02-091819-5	44	1.13	9.72	9.08	92.5	
K4866-10	ROLL-OFF	1	1.14	9.88	8.31	82.0	
K4942-12	TP-1A	2	1.13	9.57	8.69	89.6	
K4942-13	TP-2A	3	1.14	9.8	8.77	88.1	
K4942-14	TP-3A	4	1.12	9.55	8.41	86.5	
K4942-15	TP-4A	5	1.15	9.6	8.52	87.2	
K4942-16	TP-5A	6	1.15	9.89	8.93	89.0	
K4947-01	EXT-008-SW111-091719-1	7	1.15	9.63	9.05	93.2	
K4947-02	EXT-008-SW111-091719-2	8	1.13	9.95	8.66	85.4	
K4955-01	ROLL-OFF-SOIL	9	1.13	9.91	7.73	75.2	
K4957-01	SB-38-16.5-17.0	10	1.14	9.67	9.06	92.8	
K4957-02	SB-38-COMP	11	1.15	9.75	9.26	94.3	
K4957-03	SB-42-6.5-7.0	12	1.15	9.75	9.14	92.9	
K4957-04	SB-42-COMP	13	1.13	9.96	9.38	93.4	
K4957-05	SB-39-14.0-14.5	14	1.14	9.94	9.14	90.9	
K4957-06	SB-39-COMP	15	1.13	9.86	9.07	91.0	
K4957-07	SB-33-10.5-11.0	16	1.12	9.73	8.74	88.5	
K4957-08	SB-33-COMP	17	1.14	9.93	9.04	89.9	
K4957-09	SB-32-9.5-10.0	18	1.12	9.85	8.5	84.5	
K4957-10	SB-32-COMP	19	1.12	9.7	8.59	87.1	
K4957-11	SB-26-16.5-17.0	20	1.12	9.8	8.68	87.1	
K4957-12	SB-26-COMP	21	1.12	9.81	8.68	87.0	
K4959-01	WALL-1	22	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100 % SOLIDS



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 9/19/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 09/18/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 09/19/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105206

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K4959-02	BASE-2	23	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100 % SOLIDS
K4959-03	BASE-3	24	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100 % SOLIDS
K4959-04	IDLE-BAY	25	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100 % SOLIDS
K4960-01	ROLL-OFF-COMP	26	1.13	9.84	8.39	83.4	
K4962-01	TH-2	27	1.13	9.81	9.00	90.7	
K4962-02	TH-2	28	1.13	6.31	5.84	90.9	
K4962-03	TH-3	29	1.13	9.6	8.66	88.9	
K4962-04	TH-3	30	1.16	9.53	8.81	91.4	
K4962-05	TH-4	31	1.14	9.77	8.93	90.3	
K4962-06	TH-4	32	1.12	5.84	5.44	91.5	
K4962-07	TH-5	33	1.12	9.73	8.51	85.8	
K4962-08	TH-5	34	1.12	9.63	8.62	88.1	
K4962-09	TP-1-5	35	1.12	9.91	8.9	88.5	
K4962-10	TP-1-5	36	1.13	9.66	8.71	88.9	
K4964-01	SB-1	37	1.12	9.75	9.26	94.3	
K4964-02	SB-2	38	1.13	9.7	9.24	94.6	
K4967-01	FK-BPM-01-H0-H01-H0A-H01A	45	1.14	9.82	9.08	91.5	
K4967-02	FK-BPM-01-H0-H01-H0A-H01A	46	1.14	9.55	8.76	90.6	
K4968-01	FK-BPM-03-010-ABCD	47	1.13	9.8	9.42	95.6	
K4968-02	FK-BPM-03-010-ABCD	48	1.12	9.58	9.11	94.4	
K4969-01	FK-PS-01-059	49	1.15	9.81	7.92	78.2	
K4969-02	FK-PS-01-059	50	1.13	9.92	8.08	79.1	
K4972-01	FK-GF-02-046-A	51	1.14	9.95	8.87	87.7	
K4972-02	FK-GF-02-046-A	52	1.15	9.89	8.89	88.6	
K4972-03	FK-GF-02-046-B	53	1.15	9.7	8.65	87.7	
K4972-04	FK-GF-02-046-B	54	1.16	9.75	8.73	88.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

13105206

WorkList Name : %1-091819

WorkList ID : 131074

Department : Wet-Chemistry

Date : 09-18-2019 07:35:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/23/2019	Solid	K4662-09	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4662-10	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819-1	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4662-11	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819-2	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4662-12	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819-3	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4662-13	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819-4	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4662-14	Percent Solids	Cool 4 deg C	PSEG05		CL-02-091819-5	09/18/2019	Chemtech -SO
09/18/2019	Solid	K4866-10	Percent Solids	Cool 4 deg C	PSEG01	J42	ROLL-OFF	09/12/2019	Chemtech -SO
09/20/2019	Solid	K4942-12	Percent Solids	Cool 4 deg C	PSEG01		TP-1A	09/17/2019	Chemtech -SO
09/20/2019	Solid	K4942-13	Percent Solids	Cool 4 deg C	PSEG01		TP-2A	09/17/2019	Chemtech -SO
09/20/2019	Solid	K4942-14	Percent Solids	Cool 4 deg C	PSEG01		TP-3A	09/17/2019	Chemtech -SO
09/20/2019	Solid	K4942-15	Percent Solids	Cool 4 deg C	PSEG01		TP-4A	09/17/2019	Chemtech -SO
09/20/2019	Solid	K4942-16	Percent Solids	Cool 4 deg C	PSEG01		TP-5A	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4947-01	Percent Solids	Cool 4 deg C	SEVE02	N51	EXT-008-SW111-091719-1	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4947-02	Percent Solids	Cool 4 deg C	SEVE02	N51	EXT-008-SW111-091719-2	09/17/2019	Chemtech -SO
09/24/2019	Solid	K4955-01	Percent Solids	Cool 4 deg C	PSEG01	N12	ROLL-OFF-SOIL	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4957-01	Percent Solids	Cool 4 deg C	LIRO01		SB-38-16.5-17.0	09/16/2019	Chemtech -SO
09/25/2019	Solid	K4957-02	Percent Solids	Cool 4 deg C	LIRO01		SB-38-COMP	09/16/2019	Chemtech -SO
09/25/2019	Solid	K4957-03	Percent Solids	Cool 4 deg C	LIRO01		SB-42-6.5-7.0	09/16/2019	Chemtech -SO
09/25/2019	Solid	K4957-04	Percent Solids	Cool 4 deg C	LIRO01		SB-42-COMP	09/16/2019	Chemtech -SO
09/25/2019	Solid	K4957-05	Percent Solids	Cool 4 deg C	LIRO01		SB-39-14.0-14.5	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-06	Percent Solids	Cool 4 deg C	LIRO01		SB-39-COMP	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-07	Percent Solids	Cool 4 deg C	LIRO01		SB-33-10.5-11.0	09/17/2019	Chemtech -SO

Date/Time 09.18.19 16:00

Received by: Jr

Relinquished by: cd

Date/Time 09.18.19 17:30

Received by: sa

Relinquished by: fb

WORKLIST(Hardcopy Internal Chain)

13105206

WorkList Name : %1-091819 WorkList ID : 131074 Department : Wet-Chemistry Date : 09-18-2019 07:35:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/25/2019	Solid	K4957-08	Percent Solids	Cool 4 deg C	LIRO01		SB-33-COMP	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-09	Percent Solids	Cool 4 deg C	LIRO01		SB-32-9.5-10.0	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-10	Percent Solids	Cool 4 deg C	LIRO01		SB-32-COMP	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-11	Percent Solids	Cool 4 deg C	LIRO01		SB-26-16.5-17.0	09/17/2019	Chemtech -SO
09/25/2019	Solid	K4957-12	Percent Solids	Cool 4 deg C	LIRO01		SB-26-COMP	09/17/2019	Chemtech -SO
09/23/2019	Solid	K4959-01	Percent Solids	Cool 4 deg C	PSEG01	N12	WALL-1	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4959-02	Percent Solids	Cool 4 deg C	PSEG01	N12	BASE-2	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4959-03	Percent Solids	Cool 4 deg C	PSEG01	N12	BASE-3	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4959-04	Percent Solids	Cool 4 deg C	PSEG01	N12	IDLE-BAY	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4960-01	Percent Solids	Cool 4 deg C	PSEG01	N12	ROLL-OFF-COMP	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-01	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-2	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-02	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-2	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-03	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-3	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-04	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-3	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-05	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-4	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-06	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-4	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-07	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-5	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-08	Percent Solids	Cool 4 deg C	PKFM01	N51	TH-5	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-09	Percent Solids	Cool 4 deg C	PKFM01	N51	TP-1-5	09/18/2019	Chemtech -SO
09/25/2019	Solid	K4962-10	Percent Solids	Cool 4 deg C	PKFM01	N51	TP-1-5	09/18/2019	Chemtech -SO
09/23/2019	Solid	K4964-01	Percent Solids	Cool 4 deg C	TSLA01	N12	SB-1	09/16/2019	Chemtech -SO
09/23/2019	Solid	K4964-02	Percent Solids	Cool 4 deg C	TSLA01	N12	SB-2	09/16/2019	Chemtech -SO

Date/Time 09.18.19 16.00 Date/Time 09.18.19 17.30
 Received by: SA Received by: SA
 Relinquished by: SA Relinquished by: SA

WORKLIST(Hardcopy Internal Chain)

VB105206

WorkList Name : %1-091819 WorkList ID : 131074 Department : Wet-Chemistry Date : 09-18-2019 07:35:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/28/2019	Solid	K4967-01	Percent Solids	Cool 4 deg C	TULL02	N31	FK-BPM-01-H0-H01-H0A-H01	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4967-02	Percent Solids	Cool 4 deg C	TULL02	N31	FK-BPM-01-H0-H01-H0A-H01	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4968-01	Percent Solids	Cool 4 deg C	TULL02	N12	FK-BPM-03-010-ABCD	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4968-02	Percent Solids	Cool 4 deg C	TULL02	N12	FK-BPM-03-010-ABCD	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4969-01	Percent Solids	Cool 4 deg C	TULL02	N11	FK-PS-01-059	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4969-02	Percent Solids	Cool 4 deg C	TULL02	N11	FK-PS-01-059	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4972-01	Percent Solids	Cool 4 deg C	TULL02	N12	FK-GF-02-046-A	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4972-02	Percent Solids	Cool 4 deg C	TULL02	N12	FK-GF-02-046-A	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4972-03	Percent Solids	Cool 4 deg C	TULL02	N12	FK-GF-02-046-B	09/18/2019	Chemtech -SO
09/28/2019	Solid	K4972-04	Percent Solids	Cool 4 deg C	TULL02	N12	FK-GF-02-046-B	09/18/2019	Chemtech -SO

Date/Time 09/18/19 16:00
 Received by: Jr
 Relinquished by: cl

Date/Time 09/18/19 17:30
 Received by: SP
 Relinquished by: Jr