



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105297

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K4664-10	OR-03-092319	1	100.03	0.00	09/24/2019	09:50
2	K4664-10DUP	OR-03-092319DUP	1	100.02	0.00	09/24/2019	10:05
3	K4668-12	SU-03-092319	1	100.01	0.00	09/24/2019	10:15

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF92419

WorkList ID : 131263

Department : Wet-Chemistry

Date : 09-24-2019 08:53:28

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/23/2019	Solid	K4664-10	Paint Filter	Cool 4 deg C	PSEG05		OR-03-092319	09/23/2019	9095B
09/23/2019	Solid	K4668-12	Paint Filter	Cool 4 deg C	PSEG05		SU-03-092319	09/23/2019	9095B

Date/Time 09/24/19 09:40
 Received by: KS
 Relinquished by: KS

Date/Time 09/24/19 10:20
 Received by: KS
 Relinquished by: KS