



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105417

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K4659-01	JC-02-093019-A	1	100.03	0.00	10/01/2019	15:50
2	K4659-01DUP	JC-02-093019-ADUP	1	100.02	0.00	10/01/2019	15:58
3	K4659-04	JC-02-093019-B	1	100.01	0.00	10/01/2019	16:05
4	K4663-10	OK-01-093019	1	100.05	0.00	10/01/2019	16:15
5	K5105-01	WASTE	1	100.04	0.00	10/01/2019	16:22

WORKLIST(Hardcopy Internal Chain)

LB 105417

WorkList Name : pf10119 WorkList ID : 131511 Department : Wet-Chemistry Date : 10-01-2019 15:34:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/30/2019	Solid	K4659-01	✓ Paint Filter	Cool 4 deg C	PSEG05	N13	JC-02-093019-A	09/30/2019	9095B
09/30/2019	Solid	K4659-04	✓ Paint Filter	Cool 4 deg C	PSEG05	N13	JC-02-093019-B	09/30/2019	9095B
09/30/2019	Solid	K4663-10	✓ Paint Filter	Cool 4 deg C	PSEG05		OK-01-093019	09/30/2019	9095B
09/30/2019	Solid	K5105-01	✓ Paint Filter	Cool 4 deg C	RMJE02	O21	WASTE	09/30/2019	9095B

Date/Time 10/01/19 15:35
Received by: KS
Relinquished by: JP

Date/Time 10/01/19 16:50
Received by: JP
Relinquished by: KS