



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105466

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5140-01	HR-05-100219	1	100.02	0.00	10/03/2019	11:40
2	K5140-01DUP	HR-05-100219DUP	1	100.01	0.00	10/03/2019	11:48
3	K5143-01	NB-08-100219	1	100.03	0.00	10/03/2019	11:55
4	K5155-01	STOCKPILE	1	100.05	0.00	10/03/2019	12:05
5	K5158-01	ROLL-OFF	1	100.01	0.00	10/03/2019	12:12

WORKLIST(Hardcopy Internal Chain)

LB 105466

WorkList Name : pf10319 WorkList ID : 131620 Department : Wet-Chemistry Date : 10-03-2019 11:23:08

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/02/2019	Solid	K5140-01	✓ Paint Filter	Cool 4 deg C	PSEG05	N21	HR-05-100219	10/02/2019	9095B
10/02/2019	Solid	K5143-01	✓ Paint Filter	Cool 4 deg C	PSEG05	N21	NB-08-100219	10/02/2019	9095B
10/02/2019	Solid	K5155-01	K Paint Filter	Cool 4 deg C	PSEG01	N21	STOCKPILE	10/02/2019	9095B
10/02/2019	Solid	K5158-01	J Paint Filter	Cool 4 deg C	PSEG01	N21	ROLL-OFF	10/02/2019	9095B

Date/Time 10/3/19 11:25
 Received by: KS
 Relinquished by: JP

Date/Time 10/3/19 12:55
 Received by: JP
 Relinquished by: KS