



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/4/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 13:47
In Date: 10/03/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:35
Out Date: 10/04/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105469

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5182-01	MBEPG7	1	1.15	9.66	7.93	79.7	
K5182-02	MBEPJ9	2	1.14	9.83	7.34	71.3	
K5182-03	MBEPK0	3	1.14	9.68	8.00	80.3	
K5182-04	MBEP93	4	1.12	9.95	8.33	81.7	
K5182-05	MBEP94	5	1.15	9.7	6.79	66.0	
K5182-06	MBEP95	6	1.14	9.8	6.71	64.3	
K5182-07	MBEP96	7	1.14	9.8	7.29	71.0	
K5182-08	MBEP97	8	1.14	9.65	7.3	72.4	
K5182-09	MBEP98	9	1.14	9.74	6.98	67.9	
K5182-10	MBEP99	10	1.12	9.65	7.3	72.5	
K5182-11	MBEPA0	11	1.14	9.8	7.79	76.8	
K5182-12	MBEPA1	12	1.14	9.81	8.00	79.1	
K5182-13	MBEPA2	13	1.15	9.83	7.47	72.8	
K5182-14	MBEPA3	14	1.12	9.52	7.17	72.0	
K5182-15	MBEPK1	15	1.13	9.7	8.21	82.6	
K5182-16	MBEPK2	16	1.12	9.55	8.42	86.6	
K5182-17	MBEPE7	17	1.14	9.64	6.39	61.8	
K5182-18	MBEPE8	18	1.16	9.57	7.18	71.6	
K5182-19	MBEPD3	19	1.13	9.78	6.27	59.4	
K5182-20	MBEPD4	20	1.15	9.9	8.08	79.2	
K5182-21	MBEPD4D	21	1.15	9.9	8.08	79.2	
K5182-22	MBEPD4S	22	1.15	9.9	8.08	79.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$