



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: JIGNESH

Date: 10/7/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 15:30

In Date: 10/04/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:25

Out Date: 10/05/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB105497

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5178-01	BEPD0	1	1.15	9.95	8.2	80.1	
K5178-02	BEPD1	2	1.14	9.72	8.46	85.3	
K5178-03	BEPD2	3	1.15	9.84	6.34	59.7	
K5178-04	BEPE7	4	1.14	9.64	6.39	61.8	
K5178-05	BEPE8	5	1.16	9.57	7.18	71.6	
K5178-06	BEPE9	6	1.16	9.76	8.12	80.9	
K5178-07	BEPF0	7	1.15	9.64	7.52	75.0	
K5178-08	BEPF1	8	1.14	9.57	7.39	74.1	
K5178-09	BEPF2	9	1.16	9.94	7.71	74.6	
K5178-10	BEPF3	10	1.14	9.53	7.05	70.4	
K5178-11	BEPF4	11	1.14	9.95	7.5	72.2	
K5178-12	BEPD3	12	1.13	9.78	6.27	59.4	
K5178-13	BEPD4	13	1.15	9.9	8.08	79.2	
K5178-14	BEPD4MS	14	1.15	9.9	8.08	79.2	
K5178-15	BEPD4MSD	15	1.15	9.9	8.08	79.2	
K5178-16	BEPD5	16	1.15	9.71	8.39	84.6	
K5178-17	BEPH9	17	1.15	9.71	7.33	72.2	
K5178-18	BEPJ0	18	1.16	9.98	7.44	71.2	
K5178-19	BEPJ1	19	1.16	9.68	7.62	75.8	
K5178-20	BEPJ2	20	1.15	9.61	7.85	79.2	
K5178-21	BEPJ3	21	1.15	9.72	6.62	63.8	
K5178-22	BEPJ4	22	1.12	9.52	7.00	70.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$