



PERCENT SOLID

Supervisor: AMANDEEP
Analyst: JIGNESH
Date: 10/7/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 15:30
In Date: 10/04/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 107
Time OUT: 15:30
Out Date: 10/05/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105498

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5183-01	MBEPE9	1	1.16	9.76	8.12	80.9	
K5183-02	MBEPF0	2	1.15	9.64	7.52	75.0	
K5183-03	MBEPF1	3	1.14	9.57	7.39	74.1	
K5183-04	MBEPF2	4	1.16	9.94	7.71	74.6	
K5183-05	MBEPF3	5	1.14	9.53	7.05	70.4	
K5183-06	MBEPF4	6	1.14	9.95	7.5	72.2	
K5183-07	MBEPD5	7	1.15	9.71	8.39	84.6	
K5183-08	MBEPC6	8	1.14	9.98	6.57	61.4	
K5183-09	MBEPC7	9	1.12	9.57	6.81	67.3	
K5183-10	MBEPC8	10	1.14	9.95	7.85	76.2	
K5183-11	MBEPC8D	11	1.14	9.95	7.85	76.2	
K5183-12	MBEPC8S	12	1.14	9.95	7.85	76.2	
K5183-13	MBEPC9	13	1.12	9.88	7.49	72.7	
K5183-14	MBEPD0	14	1.15	9.95	8.2	80.1	
K5183-15	MBEPD1	15	1.14	9.72	8.46	85.3	
K5183-16	MBEPD2	16	1.15	9.84	6.34	59.7	
K5183-17	MBEPH9	17	1.15	9.71	7.33	72.2	
K5183-18	MBEPJ0	18	1.16	9.98	7.44	71.2	
K5183-19	MBEPJ1	19	1.16	9.68	7.62	75.8	
K5183-20	MBEPJ2	20	1.15	9.61	7.85	79.2	
K5183-21	MBEPJ3	21	1.15	9.72	6.62	63.8	
K5183-22	MBEPJ4	22	1.12	9.52	7.00	70.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$