



PERCENT SOLID

Supervisor: AMANDEEP

Analyst: JIGNESH

Date: 10/7/2019

OVENTEMP IN Celsius(°C): 107

Time IN: 14:48

In Date: 10/04/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:30

Out Date: 10/05/2019

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB105502

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5199-01	BEPJ5	1	1.13	9.53	5.36	50.4	
K5199-02	BEPJ6	2	1.14	9.98	5.72	51.8	
K5199-03	BEPJ7	3	1.15	9.62	6.95	68.5	
K5199-04	BEPJ8	4	1.14	9.96	6.91	65.4	
K5199-05	BEP72	5	1.13	9.98	6.65	62.4	
K5199-06	BEP73	6	1.12	9.57	6.04	58.2	
K5199-07	BEP74	7	1.13	9.91	7.52	72.8	
K5199-08	BEP75	8	1.12	9.88	7.79	76.1	
K5199-09	BEP76	9	1.13	9.85	6.68	63.6	
K5199-10	BEP77	10	1.15	9.6	7.76	78.2	
K5199-11	BEP78	11	1.14	9.96	7.98	77.6	
K5199-12	BEP79	12	1.13	9.79	6.67	64.0	
K5199-13	BEP80	13	1.16	9.92	8.08	79.0	
K5199-14	BEP81	14	1.14	9.5	7.21	72.6	
K5199-15	BEP82	15	1.14	9.9	8.00	78.3	
K5199-16	BEPG8	16	1.13	9.95	7.37	70.7	
K5199-17	BEPG8MS	17	1.13	9.95	7.37	70.7	
K5199-18	BEPG8MSD	18	1.13	9.95	7.37	70.7	
K5199-19	BEPG9	19	1.15	9.52	7.28	73.2	
K5199-20	BEPH0	20	1.15	9.52	5.99	57.8	
K5199-21	BEPH1	21	1.15	9.96	6.64	62.3	
K5199-22	BEPH2	22	1.16	9.97	7.21	68.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$