



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105532

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5141-01	JC-02-100419	1	100.03	0.00	10/07/2019	10:15
2	K5141-01DUP	JC-02-100419DUP	1	100.07	0.00	10/07/2019	10:22
3	K5146-01	CL-01-100419	1	100.09	0.00	10/07/2019	10:30

WORKLIST(Hardcopy Internal Chain)

LB105532

WorkList Name : pf10719 WorkList ID : 131744 Department : Wet-Chemistry Date : 10-07-2019 09:10:03

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/04/2019	Solid	K5141-01	Paint Filter	Cool 4 deg C	PSEG05	N23	JC-02-100419	10/04/2019	9095B
10/04/2019	Solid	K5146-01	Paint Filter	Cool 4 deg C	PSEG05	N23	CL-01-100419	10/04/2019	9095B

Date/Time 10/07/19 10:05
 Received by: KS
 Relinquished by: JP

Date/Time 10/07/19 10:40
 Received by: JP
 Relinquished by: KS