



Analytical Summary Report

Analysis Method: SM 4500-H B

Analyst By : JIGNESH

Parameter: pH

Supervisor Review By : apatel

Run Number: LB105560

Slope : 98.7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2568
buffer solution pH 7 yellow	W2447
PH 10.01 BUFFER,COLOR CD 475ML	W2570
buffer solution pH 7 yellow	W2446
Buffer Solution, PH2 (500ml)	W2592
Buffer Solution, PH12 (500ml)	W2467

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.1	4.01	10/08/2019	13:20
2	CAL2	1	Water	NA	NA	20.1	6.99	10/08/2019	13:21
3	CAL3	1	Water	NA	NA	20.1	10.03	10/08/2019	13:22
4	ICV	1	Water	NA	NA	20.1	7.01	10/08/2019	13:24
5	CCV1	1	Water	NA	NA	20.1	2.02	10/08/2019	13:25
6	K5269-01	1	Water	NA	NA	20.2	4.75	10/08/2019	13:27
7	K5269-01DUP	1	Water	NA	NA	20.1	4.76	10/08/2019	13:28
8	CCV2	1	Water	NA	NA	20.1	12.02	10/08/2019	13:30

LB 105560

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PH K5269 WorkList ID : 131826 Department : Wet-Chemistry Date : 10-08-2019 13:12:07

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/07/2019	Water	K5269-01-A	pH	Cool 4 deg C	STER13	O61	CELL-B-POOL-WATER	10/07/2019	SM 4500-H B

Date/Time 10/08/19 13:15
Received by: fo
Relinquished by: CS

Date/Time 10/08/19 14:00
Received by: CS
Relinquished by: fo