



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105587

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5285-03	TP-1-S	1	100.03	0.00	10/09/2019	10:25
2	K5285-03DUP	TP-1-SDUP	1	100.02	0.00	10/09/2019	10:32
3	K5285-07	TP-1-D	1	100.01	0.00	10/09/2019	10:40
4	K5285-11	TP-2-S	1	100.05	0.00	10/09/2019	10:48
5	K5285-15	TP-2-D	1	100.06	0.00	10/09/2019	10:55

WORKLIST(Hardcopy Internal Chain)

LB105587

WorkList Name : pf10919 WorkList ID : 131861 Department : Wet-Chemistry Date : 10-09-2019 08:58:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/08/2019	Solid	K5285-03	C Paint Filter	Cool 4 deg C	PSEG01	N31	TP-1-S	10/08/2019	9095B
10/08/2019	Solid	K5285-07	C Paint Filter	Cool 4 deg C	PSEG01	N31	TP-1-D	10/08/2019	9095B
10/08/2019	Solid	K5285-11	D Paint Filter	Cool 4 deg C	PSEG01	N31	TP-2-S	10/08/2019	9095B
10/08/2019	Solid	K5285-15	D Paint Filter	Cool 4 deg C	PSEG01	N31	TP-2-D	10/08/2019	9095B

Date/Time 10/09/19 10:15
 Received by: KS
 Relinquished by: JP

Date/Time 10/09/19 11:00
 Received by: JP
 Relinquished by: KS