



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/14/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 14:16
In Date: 10/11/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 10/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105653

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K5148-05	OR-03-101119	1	1.14	9.64	9.00	92.5	
K5148-06	OR-03-101119-1	2	1.15	9.61	9.31	96.5	
K5148-07	OR-03-101119-2	3	1.14	9.52	8.75	90.8	
K5160-05	CSA-3-1	4	1.12	9.51	8.96	93.4	
K5334-01	S-1-PIT-SW-CORNER	5	1.14	9.72	9.51	97.6	
K5334-02	S-2-PIT-COMPOSITE	6	1.12	9.66	9.46	97.7	
K5334-03	SWAB-1-PIT-N.WALL-BASE	7	1.00	2.00	2.00	100.0	WIPE SAMPLE 100% SOLIDS
K5334-04	SWAB-2-PIT-FLOOR-CENTER	8	1.00	2.00	2.00	100.0	WIPE SAMPLE 100% SOLIDS
K5334-05	SWAB-3-BLANK	9	1.00	2.00	2.00	100.0	WIPE SAMPLE 100% SOLIDS
K5335-01	IDW-GAC2-191010	10	1.12	9.53	6.99	69.8	
K5339-01	SOIL-BIN-1	11	1.13	9.74	8.62	87.0	
K5348-01	20190825-COMPOSITE-A	12	1.12	9.67	5.88	55.7	
K5348-02	20190826-COMPOSITE-B	13	1.13	9.54	5.79	55.4	
K5348-03	20190827-COMPOSITE-C	14	1.12	9.78	5.92	55.4	
K5348-04	20190828-COMPOSITE-D	15	1.12	9.61	5.84	55.6	
K5348-05	20190829-COMPOSITE-E	16	1.12	9.73	5.77	54.0	
K5348-06	20190830-COMPOSITE-F	17	1.11	9.62	5.71	54.1	
K5348-07	20190831-COMPOSITE-G	18	1.12	9.68	5.58	52.1	
K5348-08	20190832-COMPOSITE-H	19	1.11	9.78	6.11	57.7	
K5348-09	20190833-COMPOSITE-I	20	1.12	9.9	5.91	54.6	
K5348-10	20190834-COMPOSITE-J	21	1.13	9.8	5.87	54.7	
K5348-11	20190879-COMPOSITE-K	22	1.14	9.8	5.05	45.2	
K5348-12	20190880-COMPOSITE-L	23	1.14	9.66	5.19	47.5	
K5348-13	20190881-COMPOSITE-M	24	1.14	9.9	5.3	47.5	
K5348-14	20190882-COMPOSITE-N	25	1.14	9.98	5.37	47.9	
K5349-05	SVOC-GPC-BLANK	26	1.00	2.00	2.00	100.0	VHBLK
K5349-06	PEST-GPC-BLANK	27	1.00	2.00	2.00	100.0	VHBLK
K5349-07	PEST-GPC-BLANK-SPIKE	28	1.00	2.00	2.00	100.0	VHBLK



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/14/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 14:16
In Date: 10/11/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 10/12/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105653

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K5349-08	PCB-GPC-BLANK	29	1.00	2.00	2.00	100.0	VHBLK
K5349-09	PCB-GPC-BLANK-SPIKE	30	1.00	2.00	2.00	100.0	VHBLK
K5349-10	SVOC-GPC2-BLANK	31	1.00	2.00	2.00	100.0	VHBLK
K5349-11	PEST-GPC2-BLANK	32	1.00	2.00	2.00	100.0	VHBLK
K5349-12	PEST-GPC2-BLANK-SPIKE	33	1.00	2.00	2.00	100.0	VHBLK
K5349-13	PCB-GPC2-BLANK	34	1.00	2.00	2.00	100.0	VHBLK
K5349-14	PCB-GPC2-BLANK -SPIKE	35	1.00	2.00	2.00	100.0	VHBLK
K5350-01	VNJ-209	36	1.15	9.71	7.98	79.8	
K5350-03	VNJ-11935	37	1.14	9.5	7.5	76.1	
K5350-05	VNJ-230	38	1.15	9.8	8.46	84.5	
K5351-01	A-FRAME-CONCRETE	39	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100 % SOLIDS
K5351-03	A-FRAME-SOIL	40	1.13	9.8	9.06	91.5	
K5352-01	TP-19-S1	41	1.15	9.6	8.85	91.1	
K5352-02	TP-19-S2	42	1.15	9.71	8.93	90.9	
K5352-03	TP-19-S	43	1.16	9.65	8.92	91.4	
K5352-05	TP-20A-S1	44	1.15	9.7	9.1	93.0	
K5352-06	TP-20A-S2	45	1.16	9.8	9.08	91.7	
K5352-07	TP-20A-S	46	1.16	9.6	8.91	91.8	
K5352-09	TP-20A-D1	47	1.14	9.76	9.09	92.2	
K5352-10	TP-20A-D2	48	1.13	9.73	8.98	91.3	
K5352-11	TP-20A-D	49	1.13	9.6	8.93	92.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

18 105653

WorkList Name : %1-101119 WorkList ID : 131968 Department : Wet-Chemistry Date : 10-11-2019 07:53:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/16/2019	Solid	K5148-05	Percent Solids	Cool 4 deg C	PSEG05		OR-03-101119	10/11/2019	Chemtech -SO
10/16/2019	Solid	K5148-06	Percent Solids	Cool 4 deg C	PSEG05		OR-03-101119-1	10/11/2019	Chemtech -SO
10/16/2019	Solid	K5148-07	Percent Solids	Cool 4 deg C	PSEG05		OR-03-101119-2	10/11/2019	Chemtech -SO
10/16/2019	Solid	K5160-05	Percent Solids	Cool 4 deg C	VERI01	O23	CSA-3-1	10/11/2019	Chemtech -SO
10/20/2019	Solid	K5334-01	Percent Solids	Cool 4 deg C	WARR01	P23	S-1-PIT-SW-CORNER	10/10/2019	Chemtech -SO
10/20/2019	Solid	K5334-02	Percent Solids	Cool 4 deg C	WARR01	P23	S-2-PIT-COMPOSITE	10/10/2019	Chemtech -SO
10/20/2019	Solid	K5334-03	Percent Solids	Cool 4 deg C	WARR01	P23	SWAB-1-PIT-N.WALL-BASE	10/10/2019	Chemtech -SO
10/20/2019	Solid	K5334-04	Percent Solids	Cool 4 deg C	WARR01	P23	SWAB-2-PIT-FLOOR-CENTEI	10/10/2019	Chemtech -SO
10/20/2019	Solid	K5334-05	Percent Solids	Cool 4 deg C	WARR01	P23	SWAB-3-BLANK	10/10/2019	Chemtech -SO
10/18/2019	Solid	K5335-01	Percent Solids	Cool 4 deg C	SHAW22	P13	IDW-GAC2-191010	10/10/2019	Chemtech -SO
10/16/2019	Solid	K5339-01	Percent Solids	Cool 4 deg C	PSEG01	N33	SOIL-BIN-1	10/11/2019	Chemtech -SO
10/07/2019	Solid	K5348-01	Percent Solids	Cool 4 deg C	AQUA04	P41	20190825-COMPOSITE-A	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-02	Percent Solids	Cool 4 deg C	AQUA04	P41	20190826-COMPOSITE-B	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-03	Percent Solids	Cool 4 deg C	AQUA04	P41	20190827-COMPOSITE-C	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-04	Percent Solids	Cool 4 deg C	AQUA04	P41	20190828-COMPOSITE-D	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-05	Percent Solids	Cool 4 deg C	AQUA04	P41	20190829-COMPOSITE-E	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-06	Percent Solids	Cool 4 deg C	AQUA04	P41	20190830-COMPOSITE-F	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-07	Percent Solids	Cool 4 deg C	AQUA04	P41	20190831-COMPOSITE-G	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-08	Percent Solids	Cool 4 deg C	AQUA04	P41	20190832-COMPOSITE-H	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-09	Percent Solids	Cool 4 deg C	AQUA04	P41	20190833-COMPOSITE-I	09/27/2019	Chemtech -SO
10/07/2019	Solid	K5348-10	Percent Solids	Cool 4 deg C	AQUA04	P41	20190834-COMPOSITE-J	09/27/2019	Chemtech -SO
10/08/2019	Solid	K5348-11	Percent Solids	Cool 4 deg C	AQUA04	P41	20190879-COMPOSITE-K	10/01/2019	Chemtech -SO

Date/Time 10.11.19 16:00
 Received by: J2
 Relinquished by: J2

Date/Time 10-11-19 17:13
 Received by: J2
 Relinquished by: J2

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101119

WorkList ID : 131968

Department : Wet-Chemistry

Date : 10-11-2019 07:53:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/08/2019	Solid	K5348-12	Percent Solids	Cool 4 deg C	AQUA04	P41	20190880-COMPOSITE-L	10/01/2019	Chemtech -SO
10/08/2019	Solid	K5348-13	Percent Solids	Cool 4 deg C	AQUA04	P41	20190881-COMPOSITE-M	10/01/2019	Chemtech -SO
10/08/2019	Solid	K5348-14	Percent Solids	Cool 4 deg C	AQUA04	P41	20190882-COMPOSITE-N	10/01/2019	Chemtech -SO
10/14/2019	Solid	K5349-05	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-06	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-07	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC-BLANK-SPIKE	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-08	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-09	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC-BLANK-SPIKE	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-10	Percent Solids	Cool 4 deg C	CHEM02	P13	SVOC-GPC2-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-11	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-12	Percent Solids	Cool 4 deg C	CHEM02	P13	PEST-GPC2-BLANK-SPIKE	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-13	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK	10/04/2019	Chemtech -SO
10/14/2019	Solid	K5349-14	Percent Solids	Cool 4 deg C	CHEM02	P13	PCB-GPC2-BLANK -SPIKE	10/04/2019	Chemtech -SO
10/18/2019	Solid	K5350-01	Percent Solids	Cool 4 deg C	PSEG01	N33	VNJ-209	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5350-03	Percent Solids	Cool 4 deg C	PSEG01	N33	VNJ-11935	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5350-05	Percent Solids	Cool 4 deg C	PSEG01	N33	VNJ-230	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5351-01	Percent Solids	Cool 4 deg C	PSEG01	N33	A-FRAME-CONCRETE	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5351-03	Percent Solids	Cool 4 deg C	PSEG01	N33	A-FRAME-SOIL	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-01	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-19-S1	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-02	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-19-S2	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-03	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-19-S	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-05	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-S1	10/11/2019	Chemtech -SO

Date/Time 10-11-19 17:30

Received by: JP

Relinquished by: CS

Date/Time 10-11-19 17:30

Received by: 8

Relinquished by: 79

W 105653

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101119

WorkList ID : 131968

Department : Wet-Chemistry

Date : 10-11-2019 07:53:15

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/18/2019	Solid	K5352-06	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-S2	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-07	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-S	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-09	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-D1	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-10	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-D2	10/11/2019	Chemtech -SO
10/18/2019	Solid	K5352-11	Percent Solids	Cool 4 deg C	PSEG01	N33	TP-20A-D	10/11/2019	Chemtech -SO

Date/Time 10-11-19 16:00
 Received by: Jo
 Relinquished by: SP

Date/Time 10-11-19 17:30
 Received by: SP
 Relinquished by: Jo