



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105699

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5356-01	72-12017	1	100.03	0.00	10/15/2019	09:58
2	K5356-01DUP	72-12017DUP	1	100.02	0.00	10/15/2019	10:10
3	K5357-01	72-11933	1	100.05	0.00	10/15/2019	10:20

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf101519 WorkList ID : 132134 Department : Wet-Chemistry Date : 10-15-2019 09:02:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/14/2019	Solid	K5356-01	F Paint Filter	Cool 4 deg C	PSEG01	N41	72-12017	10/14/2019	9095B
10/14/2019	Solid	K5357-01	E Paint Filter	Cool 4 deg C	PSEG01	N41	72-11933	10/14/2019	9095B

Date/Time 10/15/19 09:45
 Received by: KS
 Relinquished by: JP

Date/Time 10/15/19 10:25
 Received by: JP
 Relinquished by: KS