



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/16/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 16:15
In Date: 10/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:35
Out Date: 10/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105713

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5381-01	MH0GK9	1	1.14	9.96	9.61	96.0	
K5381-02	MH0GL0	2	1.14	9.72	9.24	94.4	
K5381-03	MH0GL1	3	1.14	9.9	8.32	82.0	
K5381-04	MH0GL2	4	1.16	9.65	8.33	84.5	
K5381-05	MH0GL3	5	1.16	9.98	9.4	93.4	
K5381-06	MH0GL4	6	1.13	9.54	8.98	93.3	
K5381-07	MH0GL5	7	1.14	9.98	9.02	89.1	
K5381-08	MH0GL6	8	1.15	9.73	9.22	94.1	
K5381-09	MH0GL7	9	1.14	9.86	9.35	94.2	
K5381-10	MH0GL8	10	1.14	9.74	8.75	88.5	
K5381-11	MH0GL9	11	1.14	9.97	9.61	95.9	
K5381-12	MH0GM0	12	1.13	9.53	8.43	86.9	
K5381-13	MH0GM1	13	1.16	9.5	8.41	86.9	
K5381-14	MH0GM2	14	1.16	9.96	9.61	96.0	
K5381-15	MH0GM3	15	1.13	9.65	7.91	79.6	
K5381-16	MH0GM4	16	1.16	9.5	7.88	80.6	
K5381-17	MH0GM5	17	1.15	9.95	8.47	83.2	
K5381-18	MH0GM6	18	1.15	9.76	9.14	92.8	
K5381-19	MH0GM7	19	1.16	9.93	8.53	84.0	
K5381-20	MH0GM8	20	1.15	9.97	9.04	89.5	
K5381-21	MH0GM8D	21	1.15	9.97	9.04	89.5	
K5381-22	MH0GM8S	22	1.15	9.97	9.04	89.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$