



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/16/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 18:09
In Date: 10/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 10/16/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB105723

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5385-01	MH0GS9	1	1.16	9.5	8.36	86.3	
K5385-02	MH0GT0	2	1.14	9.98	9.27	92.0	
K5385-03	MH0GT1	3	1.16	9.67	8.5	86.3	
K5385-04	MH0GT2	4	1.17	9.66	8.79	89.8	
K5385-05	MH0GT3	5	1.16	9.84	8.57	85.4	
K5385-06	MH0GT4	6	1.15	9.97	8.67	85.3	
K5385-07	MH0GT5	7	1.14	9.71	9.02	91.9	
K5385-08	MH0GT6	8	1.14	9.82	8.78	88.0	
K5385-09	MH0GT7	9	1.16	9.97	9.33	92.7	
K5385-10	MH0GT8	10	1.14	9.73	9.14	93.1	
K5385-11	MH0GT9	11	1.13	9.56	9.16	95.3	
K5385-12	MH0GU0	12	1.16	9.95	9.55	95.4	
K5385-13	MH0GU1	13	1.14	9.54	8.77	90.8	
K5385-14	MH0GU3	14	1.15	9.53	9.02	93.9	
K5385-15	MH0GU4	15	1.14	9.98	9.63	96.0	
K5385-16	MH0GU5	16	1.15	9.65	8.95	91.8	
K5385-17	MH0GU6	17	1.15	9.96	9.43	94.0	
K5385-18	MH0GU7	18	1.14	9.84	8.92	89.4	
K5385-19	MH0GU8	19	1.15	9.96	9.61	96.0	
K5385-20	MH0GU9	20	1.15	9.58	9.12	94.5	
K5385-21	MH0GU9D	21	1.15	9.58	9.12	94.5	
K5385-22	MH0GU9S	22	1.15	9.58	9.12	94.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$