



Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB105734

Reviewed By: ketankumar

Supervisor Review By: AMANDEEP

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5152-06	SU-01-101519	1	100.03	0.00	10/16/2019	10:20
2	K5152-06DUP	SU-01-101519DUP	1	100.02	0.00	10/16/2019	10:28
3	K5374-01	STOCK-PILE-1	1	100.06	0.00	10/16/2019	10:35
4	K5392-03	TP-22A-S	1	100.08	0.00	10/16/2019	10:42
5	K5392-07	TP-22A-D	1	100.07	0.00	10/16/2019	10:50

WORKLIST(Hardcopy Internal Chain)

LB 105734

WorkList Name : PF101619 WorkList ID : 132196 Department : Wet-Chemistry Date : 10-16-2019 09:22:55

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/15/2019	Solid	K5152-06	Paint Filter	Cool 4 deg C	PSEG05		SU-01-101519	10/15/2019	9095B
10/15/2019	Solid	K5374-01	Paint Filter	Cool 4 deg C	PSEG01	N41	STOCK-PILE-1	10/15/2019	9095B
10/15/2019	Solid	K5392-03	Paint Filter	Cool 4 deg C	PSEG01	N41	TP-22A-S	10/15/2019	9095B
10/15/2019	Solid	K5392-07	Paint Filter	Cool 4 deg C	PSEG01	N41	TP-22A-D	10/15/2019	9095B

Date/Time 10/16/19 10:10
 Received by: KS
 Relinquished by: JP

Date/Time 10/16/19 10:55
 Received by: JP
 Relinquished by: KS