



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: AMANDEEP

Run Number: LB105929

BalanceID: WC SC-4

| Seq | LabID       | ClientID        | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-----------------|----------|-----------|------------------------|------------|-----------|
| 1   | K5153-05    | TR-05-102419    | 1        | 100.03    | 0.00                   | 10/25/2019 | 10:50     |
| 2   | K5153-05DUP | TR-05-102419DUP | 1        | 100.02    | 0.00                   | 10/25/2019 | 10:58     |

# WORKLIST(Hardcopy Internal Chain)

LB 105929

WorkList Name : p102519      WorkList ID : 132606      Department : Wet-Chemistry      Date : 10-25-2019 10:32:25

| Due Date   | Matrix | Sample   | Test         | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|--------------|--------------|----------|------------------|-----------------|--------------|--------|
| 10/24/2019 | Solid  | K5153-05 | Paint Filter | Cool 4 deg C | PSEG05   |                  | TR-05-102419    | 10/24/2019   | 9095B  |

Date/Time 10/25/19 10:40  
 Received by: KS  
 Relinquished by: JP

Date/Time 10/25/19 11:00  
 Received by: KS  
 Relinquished by: KS