



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB105959

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K5140-05	HR-06-102519	1	100.02	0.00	10/28/2019	10:05
2	K5140-05DUP	HR-06-102519DUP	1	100.03	0.00	10/28/2019	10:15
3	K5563-01	STOCKPILE	1	100.01	0.00	10/28/2019	10:22
4	K5563-04	ESW	1	100.09	0.00	10/28/2019	10:30
5	K5563-07	TP-1	1	100.05	0.00	10/28/2019	10:38
6	K5563-10	TP-2	1	100.07	0.00	10/28/2019	10:45
7	K5568-01	IDW-SOIL-102519	1	100.06	0.00	10/28/2019	10:52

WORKLIST(Hardcopy Internal Chain)

LB 105954

WorkList Name : pf102819 WorkList ID : 132660 Department : Wet-Chemistry Date : 10-28-2019 09:17:23

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/25/2019	Solid	K5140-05	Paint Filter	Cool 4 deg C	PSEG05		HR-06-102519	10/25/2019	9095B
10/25/2019	Solid	K5563-01	Paint Filter	Cool 4 deg C	PSEG01	N51	STOCKPILE	10/25/2019	9095B
10/25/2019	Solid	K5563-04	Paint Filter	Cool 4 deg C	PSEG01	N51	ESW	10/25/2019	9095B
10/25/2019	Solid	K5563-07	Paint Filter	Cool 4 deg C	PSEG01	N51	TP-1	10/25/2019	9095B
10/25/2019	Solid	K5563-10	Paint Filter	Cool 4 deg C	PSEG01	N51	TP-2	10/25/2019	9095B
10/25/2019	Solid	K5568-01	Paint Filter	Cool 4 deg C	JACO05	D61	IDW-SOIL-102519	10/25/2019	9095B

Date/Time 10/28/19 09:55
 Received by: KS
 Relinquished by: JP

Date/Time 10/28/19 10:55
 Received by: JP
 Relinquished by: KS