



PERCENT SOLID

Supervisor: Apatel
Analyst: JIGNESH
Date: 11/1/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 10/31/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/01/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106047

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K5615-08	RBR-29	1	1.14	9.53	8.2	84.1	
K5615-09	RBR-52	2	1.14	9.7	7.95	79.6	
K5615-10	3465	3	1.14	9.74	8.68	87.7	
K5623-01	PAT-DRUM	4	1.00	2.00	2.00	100.0	PAT-DRUM 100% SOLIDS
K5624-01	WASTE	74	1.18	9.84	7.00	67.2	
K5625-01	01-A-01-B-01-C	5	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100 % SOLIDS
K5625-02	02-A-02-B-02-C	6	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100 % SOLIDS
K5625-03	03-A-03-B-03-C	7	1.00	2.00	2.00	100.0	CAULKING SAMPLE 100% SOLIDS
K5628-01	RBR200055-RBR200034-RT1868	75	1.14	9.8	8.88	89.4	
K5630-01	S2-01-A	8	1.16	9.64	7.41	73.7	
K5630-02	S2-02-A	9	1.16	9.56	7.89	80.1	
K5630-03	S2-03-A	10	1.15	9.62	7.37	73.4	
K5630-04	S2-04-A	11	1.13	9.76	7.73	76.5	
K5630-05	S2-05-A	12	1.15	9.6	8.16	83.0	
K5630-06	S2-06-A	13	1.14	9.77	8.69	87.5	
K5630-07	S2-07-A	14	1.16	9.7	8.55	86.5	
K5630-22	DUP-4	15	1.15	9.6	7.74	78.0	
K5632-01	S3-01-A	16	1.13	9.55	7.77	78.9	
K5632-02	S3-02-A	17	1.14	9.97	8.32	81.3	
K5632-03	S3-03-A	18	1.16	9.64	7.96	80.2	
K5632-04	S3-04-A	19	1.14	9.96	8.8	86.8	
K5632-05	S3-05-A	20	1.14	9.66	8.31	84.2	
K5632-06	S3-06-A	21	1.14	9.72	8.27	83.1	
K5632-22	DUP-7	22	1.14	9.72	8.13	81.5	
K5633-01	S7-01-A	23	1.13	9.95	8.37	82.1	
K5633-02	S7-02-A	24	1.13	9.61	8.45	86.3	
K5633-03	S7-03-A	25	1.15	9.93	8.85	87.7	
K5633-04	S7-04-A	26	1.15	9.66	8.18	82.6	



PERCENT SOLID

Supervisor: Apatel
Analyst: JIGNESH
Date: 11/1/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 10/31/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/01/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106047

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K5633-05	S7-05-A	27	1.15	9.58	7.96	80.8	
K5633-06	S7-06-A	28	1.14	9.68	7.9	79.2	
K5633-07	S7-07-A	29	1.13	9.55	7.53	76.0	
K5633-08	S7-08-A	30	1.14	9.93	7.91	77.0	
K5633-09	S7-09-A	31	1.13	9.76	7.93	78.8	
K5633-10	S7-10-A	32	1.14	9.75	7.52	74.1	
K5633-11	S7-11-A	33	1.13	9.71	8.29	83.4	
K5636-01	NP-SOIL-A	34	1.16	9.7	8.67	87.9	
K5636-02	NP-SOIL-B	35	1.14	9.98	9.05	89.5	
K5636-03	NP-SOIL-C	36	1.13	9.82	8.82	88.5	
K5636-04	NP-OILY-DEBRIS	37	1.00	2.00	2.00	100.0	OILY DEBRIS 100% SOLIDS
K5636-05	NP-OIL	38	1.00	2.00	2.00	100.0	OIL SAMPLE 100%
K5637-01	S4-01-A	39	1.15	9.64	6.54	63.5	
K5637-02	S4-02-A	40	1.16	9.83	8.52	84.9	
K5637-03	S4-03-A	41	1.13	9.91	6.9	65.7	
K5637-04	S4-04-A	42	1.15	9.74	7.98	79.5	
K5637-05	S4-05-A	43	1.15	9.97	8.31	81.2	
K5637-06	S4-06-A	44	1.13	9.72	6.95	67.8	
K5637-19	DUP-9	45	1.15	9.95	7.72	74.7	
K5638-13	MX2J59	46	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-14	MX2J59D	47	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-15	MX2J59S	48	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-16	MX2J60	49	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-17	MX2J60D	50	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-18	MX2J60S	51	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-19	MX2J61	52	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-20	MX2J61D	53	1.00	2.00	2.00	100.0	P.E. SAMPLE
K5638-21	MX2J61S	54	1.00	2.00	2.00	100.0	P.E. SAMPLE



PERCENT SOLID

Supervisor: Apatel
Analyst: JIGNESH
Date: 11/1/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 10/31/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/01/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106047

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5638-22	MX2J62	55	1.00	2.00	2.00	100.0	P.E.SAMPLE
K5638-23	MX2J62D	56	1.00	2.00	2.00	100.0	P.E.SAMPLE
K5638-24	MX2J62S	57	1.00	2.00	2.00	100.0	P.E.SAMPLE
K5639-22	DUP-1	58	1.14	9.95	8.83	87.3	
K5640-01	S6-01-A	59	1.13	9.73	8.45	85.1	
K5640-02	S6-02-A	60	1.12	9.73	8.58	86.6	
K5640-07	DUP-12	61	1.12	9.98	8.33	81.4	
K5641-01	S5-01-A	62	1.13	9.58	6.44	62.8	
K5642-01	S1-01-A	63	1.14	9.7	8.55	86.6	
K5642-02	S1-02-A	64	1.13	9.57	7.53	75.8	
K5642-03	S1-03-A	65	1.13	9.72	7.84	78.1	
K5642-04	S1-04-A	66	1.13	9.76	7.98	79.4	
K5642-05	S1-05-A	67	1.14	9.5	7.78	79.4	
K5642-06	S1-06-A	68	1.13	9.67	7.82	78.3	
K5642-07	S1-07-A	69	1.14	9.97	8.05	78.3	
K5642-08	S1-08-A	70	1.13	9.52	7.72	78.5	
K5642-09	S1-09-A	71	1.15	9.96	8.22	80.2	
K5642-10	S1-10-A	72	1.13	9.98	8.53	83.6	
K5642-11	S1-11-A	73	1.14	9.95	8.17	79.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$