



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106116

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5671-01	OR-02-110519	1	100.03	0.00	11/06/2019	09:40
2	K5671-01DUP	OR-02-110519DUP	1	100.02	0.00	11/06/2019	09:48
3	K5675-01	TR-05-110519	1	100.05	0.00	11/06/2019	09:55

LB 106116

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf11619 WorkList ID : 132942 Department : Wet-Chemistry Date : 11-06-2019 08:42:21

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/05/2019	Solid	K5671-01	Paint Filter	Cool 4 deg C	PSEG05	N52	OR-02-110519	11/05/2019	9095B
11/05/2019	Solid	K5675-01	Paint Filter	Cool 4 deg C	PSEG05	N52	TR-05-110519	11/05/2019	9095B

Date/Time 11/06/19 9:30
Received by: KS
Relinquished by: JP

Date/Time 11/06/19 10:00
Received by: JP
Relinquished by: KS