

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB106121

ANALYST: Daniel
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP78865
IODINE SOLUTION .025N 1L	W2508
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB124570BL		1	50	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	11/06/2019	12:40
2	K5683-03		1	50	50	2.00	1.94	3.86	1.92	0.08	0.02	0.16	11/06/2019	12:42
3	K5683-03DUP		1	50	50	2.00	3.86	5.76	1.90	0.10	0.04	0.32	11/06/2019	12:46

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume