



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 11/8/2019

OVENTEMP IN Celsius(°C): 108  
Time IN: 16:21  
In Date: 11/07/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 11/08/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB106147

| Lab ID   | Client SampleID        | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments                     |
|----------|------------------------|--------|-----------------|--------------------------|----------------------------|---------|------------------------------|
| K5728-01 | PST-024-SW129-110619-1 | 1      | 1.15            | 9.97                     | 9.32                       | 92.6    |                              |
| K5728-03 | PST-024-SW136-110619-1 | 2      | 1.17            | 9.88                     | 8.94                       | 89.2    |                              |
| K5728-05 | PST-024-SW135-110619-1 | 3      | 1.15            | 9.8                      | 8.89                       | 89.5    |                              |
| K5728-07 | EXT-034-SW091-110619-4 | 4      | 1.16            | 9.97                     | 9.37                       | 93.2    |                              |
| K5728-08 | EXT-034-SW092-110619-4 | 5      | 1.11            | 9.62                     | 9.01                       | 92.8    |                              |
| K5728-09 | EXT-034-SW093-110619-4 | 6      | 1.18            | 9.97                     | 9.51                       | 94.8    |                              |
| K5728-11 | CS-001-4               | 7      | 1.17            | 9.72                     | 9.43                       | 96.6    |                              |
| K5730-01 | HILTON-STOCKPILE       | 24     | 1.15            | 9.96                     | 8.36                       | 81.8    |                              |
| K5730-02 | HILTON-STOCKPILE       | 25     | 1.13            | 9.64                     | 8.13                       | 82.3    |                              |
| K5733-01 | 01-A-01-B-01-C         | 8      | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE 100 % SOLIDS |
| K5733-02 | 02-A-02-B-02-C         | 9      | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE 100% SOLIDS  |
| K5733-03 | 03-A-03-B-03-C         | 10     | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE 100 % SOLIDS |
| K5733-04 | 04-A-04-B-04-C         | 11     | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE 100% SOLIDS  |
| K5741-01 | CSA-2-1-1              | 26     | 1.14            | 9.65                     | 9.03                       | 92.7    |                              |
| K5741-02 | CSA-2-1-2              | 27     | 1.14            | 9.89                     | 9.24                       | 92.6    |                              |
| K5742-01 | SB-10-(4-6)            | 12     | 1.15            | 9.97                     | 8.07                       | 78.5    |                              |
| K5742-02 | SB-11-(12-14)          | 13     | 1.18            | 9.82                     | 8.32                       | 82.6    |                              |
| K5742-03 | SB-17-(6-8)            | 14     | 1.18            | 9.97                     | 8.63                       | 84.8    |                              |
| K5742-04 | SB-18-(12-14)          | 15     | 1.15            | 9.94                     | 9.26                       | 92.3    |                              |
| K5742-05 | SB-22-(14-15)          | 16     | 1.12            | 9.59                     | 8.39                       | 85.8    |                              |
| K5742-06 | SB-30-(6-8)            | 17     | 1.18            | 9.97                     | 8.96                       | 88.5    |                              |
| K5742-07 | SB-35-(6-8)            | 18     | 1.13            | 9.93                     | 8.92                       | 88.5    |                              |
| K5742-08 | SB-26-(6-8)            | 19     | 1.19            | 9.84                     | 8.78                       | 87.7    |                              |
| K5742-09 | SB-37-(8-10)           | 20     | 1.15            | 9.95                     | 7.39                       | 70.9    |                              |
| K5742-10 | SB-38-(2-4)            | 21     | 1.17            | 9.57                     | 8.57                       | 88.1    |                              |
| K5742-11 | K5742-10MS             | 22     | 1.17            | 9.57                     | 8.57                       | 88.1    |                              |
| K5742-12 | K5742-10MSD            | 23     | 1.17            | 9.57                     | 8.57                       | 88.1    |                              |
| K5746-02 | TP-1A-0.5-1.0          | 28     | 1.14            | 9.6                      | 8.68                       | 89.1    |                              |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 11/8/2019

OVENTEMP IN Celsius(°C): 108  
Time IN: 16:21  
In Date: 11/07/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 11/08/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB106147

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-----------------|--------|-----------------|--------------------------|----------------------------|---------|----------|
| K5746-03 | TP-1A-5.5-6.0   | 29     | 1.13            | 9.63                     | 8.73                       | 89.4    |          |
| K5746-04 | TP-1A-12.5-13.0 | 30     | 1.12            | 9.72                     | 8.59                       | 86.9    |          |
| K5746-05 | TP-1A-COMP      | 31     | 1.15            | 9.71                     | 8.66                       | 87.7    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

18106147

WorkList Name : %1-110719

WorkList ID : 132974

Department : Wet-Chemistry

Date : 11-07-2019 07:50:01

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample        | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|------------------------|--------------|--------------|
| 11/16/2019 | Solid  | K5728-01 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | PST-024-SW129-110619-1 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-03 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | PST-024-SW136-110619-1 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-05 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | PST-024-SW135-110619-1 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-07 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | EXT-034-SW091-110619-4 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-08 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | EXT-034-SW092-110619-4 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-09 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | EXT-034-SW093-110619-4 | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5728-11 | Percent Solids | Cool 4 deg C | SEVE02   | H42              | CS-001-4               | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5730-01 | Percent Solids | Cool 4 deg C | HOME01   | H61              | HILTON-STOCKPILE       | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5730-02 | Percent Solids | Cool 4 deg C | HOME01   | H61              | HILTON-STOCKPILE       | 11/06/2019   | Chemtech -SO |
| 11/11/2019 | Solid  | K5733-01 | Percent Solids | Cool 4 deg C | BSIG01   | H61              | 01-A-01-B-01-C         | 11/07/2019   | Chemtech -SO |
| 11/11/2019 | Solid  | K5733-02 | Percent Solids | Cool 4 deg C | BSIG01   | H61              | 02-A-02-B-02-C         | 11/07/2019   | Chemtech -SO |
| 11/11/2019 | Solid  | K5733-03 | Percent Solids | Cool 4 deg C | BSIG01   | H61              | 03-A-03-B-03-C         | 11/07/2019   | Chemtech -SO |
| 11/11/2019 | Solid  | K5733-04 | Percent Solids | Cool 4 deg C | BSIG01   | H61              | 04-A-04-B-04-C         | 11/07/2019   | Chemtech -SO |
| 11/03/2019 | Solid  | K5741-01 | Percent Solids | Cool 4 deg C | VERI01   | H61              | CSA-2-1-1              | 10/24/2019   | Chemtech -SO |
| 11/03/2019 | Solid  | K5741-02 | Percent Solids | Cool 4 deg C | VERI01   | H61              | CSA-2-1-2              | 10/24/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5742-01 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-10-(4-6)            | 11/04/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5742-02 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-11-(12-14)          | 11/04/2019   | Chemtech -SO |
| 11/15/2019 | Solid  | K5742-03 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-17-(6-8)            | 11/05/2019   | Chemtech -SO |
| 11/15/2019 | Solid  | K5742-04 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-18-(12-14)          | 11/05/2019   | Chemtech -SO |
| 11/15/2019 | Solid  | K5742-05 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-22-(14-15)          | 11/05/2019   | Chemtech -SO |
| 11/15/2019 | Solid  | K5742-06 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-30-(6-8)            | 11/05/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5742-07 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-35-(6-8)            | 11/06/2019   | Chemtech -SO |

Date/Time 11-07-19 16:10:00

Received by: Jo

Received by: [Signature]

Relinquished by: [Signature]

Relinquished by: [Signature]

Date/Time 11-07-19 15:10

13106147

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-110719      WorkList ID : 132974      Department : Wet-Chemistry      Date : 11-07-2019 07:50:01

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 11/15/2019 | Solid  | K5742-08 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-26-(6-8)     | 11/05/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5742-09 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-37-(8-10)    | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5742-10 | Percent Solids | Cool 4 deg C | LABE01   | H62              | SB-38-(2-4)     | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5742-11 | Percent Solids | Cool 4 deg C | LABE01   | H62              | K5742-10MS      | 11/06/2019   | Chemtech -SO |
| 11/16/2019 | Solid  | K5742-12 | Percent Solids | Cool 4 deg C | LABE01   | H62              | K5742-10MSD     | 11/06/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5746-02 | Percent Solids | Cool 4 deg C | PSEG01   | N53              | TP-1A-0.5-1.0   | 11/07/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5746-03 | Percent Solids | Cool 4 deg C | PSEG01   | N53              | TP-1A-5.5-6.0   | 11/07/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5746-04 | Percent Solids | Cool 4 deg C | PSEG01   | N53              | TP-1A-12.5-13.0 | 11/07/2019   | Chemtech -SO |
| 11/14/2019 | Solid  | K5746-05 | Percent Solids | Cool 4 deg C | PSEG01   | N53              | TP-1A-COMP      | 11/07/2019   | Chemtech -SO |

Date/Time 11-07-19 16:00  
 Received by: go  
 Relinquished by: go

Date/Time 11-07-19 17:10  
 Received by: go  
 Relinquished by: go