



PERCENT SOLID

Supervisor: apatel  
Analyst: Dodley  
Date: 11/12/2019

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:40  
In Date: 11/11/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 11/12/2019  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB106206

| Lab ID   | Client SampleID         | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments |
|----------|-------------------------|--------|-----------------|--------------------------|----------------------------|---------|----------|
| K5670-01 | OK-02-111119            | 19     | 1.14            | 9.56                     | 8.84                       | 91.4    |          |
| K5670-02 | OK-02-111119            | 20     | 1.14            | 9.71                     | 8.75                       | 88.8    |          |
| K5670-03 | OK-02-111119-1          | 21     | 1.16            | 9.86                     | 9.14                       | 91.7    |          |
| K5785-01 | 72-12002-VNJ-221        | 1      | 1.15            | 9.81                     | 8.95                       | 90.1    |          |
| K5786-01 | OIL-CONTAMINATED-SAMPLE | 2      | 1.15            | 9.58                     | 8.89                       | 91.8    |          |
| K5786-02 | OIL-CONTAMINATED-SAMPLE | 3      | 1.16            | 9.73                     | 9.2                        | 93.8    |          |
| K5788-01 | B-1                     | 4      | 1.14            | 6.07                     | 5.58                       | 90.1    |          |
| K5788-02 | B-2                     | 5      | 1.14            | 5.83                     | 5.72                       | 97.7    |          |
| K5788-03 | B-3                     | 6      | 1.15            | 5.73                     | 5.49                       | 94.8    |          |
| K5788-04 | B-4                     | 7      | 1.15            | 6.21                     | 5.95                       | 94.9    |          |
| K5788-05 | B-5                     | 8      | 1.15            | 5.4                      | 5.19                       | 95.1    |          |
| K5788-06 | WC-1                    | 9      | 1.14            | 9.92                     | 9.2                        | 91.8    |          |
| K5789-01 | TP-17-S1                | 10     | 1.14            | 9.87                     | 9.71                       | 98.2    |          |
| K5789-02 | TP-17-S2                | 11     | 1.15            | 9.67                     | 8.08                       | 81.3    |          |
| K5789-03 | TP-17-S                 | 12     | 1.14            | 9.64                     | 8.68                       | 88.7    |          |
| K5789-05 | TP-16B-S1               | 13     | 1.14            | 9.7                      | 8.93                       | 91.0    |          |
| K5789-06 | TP-16B-S2               | 14     | 1.13            | 9.55                     | 9.09                       | 94.5    |          |
| K5789-07 | TP-16B-S                | 15     | 1.14            | 9.92                     | 9.28                       | 92.7    |          |
| K5789-09 | TP-16B-D1               | 16     | 1.14            | 9.78                     | 9.01                       | 91.1    |          |
| K5789-10 | TP-16B-D2               | 17     | 1.13            | 9.92                     | 9.43                       | 94.4    |          |
| K5789-11 | TP-16B-D                | 18     | 1.15            | 9.87                     | 9.2                        | 92.3    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$