



PERCENT SOLID

Supervisor: apatel
Analyst: Dodley
Date: 11/15/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:18
In Date: 11/14/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106287

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5665-01	HR-05-111419	33	1.14	9.87	9.16	91.9	
K5665-02	HR-05-111419-1	34	1.14	9.62	8.81	90.4	
K5665-03	HR-05-111419-2	35	1.13	9.59	8.95	92.4	
K5671-06	OR-03-111419	36	1.14	9.6	9.01	93.0	
K5671-07	OR-03-111419	37	1.14	9.93	9.36	93.5	
K5671-08	OR-03-111419-1	38	1.14	9.97	9.32	92.6	
K5671-09	OR-03-111419-2	39	1.14	9.8	9.16	92.6	
K5832-01	10-(2-4)	1	1.15	9.69	9.07	92.7	
K5832-02	10-(4-6)	2	1.14	9.62	9.01	92.8	
K5832-03	10-(6-8)	3	1.13	9.71	9.13	93.2	
K5832-04	9-(2-4)	4	1.15	9.72	8.7	88.1	
K5832-05	9-(4-6)	5	1.14	9.96	8.86	87.5	
K5832-06	9-(6-8)	6	1.16	9.81	8.84	88.8	
K5832-07	9-(8-10)	7	1.16	9.8	8.93	89.9	
K5832-08	8-(4-6)	8	1.13	9.9	9.00	89.7	
K5832-09	8-(6-8)	9	1.12	9.65	8.44	85.8	
K5832-10	8-(8-10)	10	1.15	9.79	8.97	90.5	
K5832-11	6-(6-8)	11	1.15	9.65	9.19	94.6	
K5832-12	6-(8-10)	12	1.15	9.82	9.34	94.5	
K5832-13	6-(10-12)	13	1.14	9.84	9.49	96.0	
K5832-14	6-(12-15)	14	1.15	9.71	8.93	90.9	
K5832-15	5-(2-4)	15	1.14	9.93	9.06	90.1	
K5832-16	5-(4-6)	16	1.15	9.57	8.72	89.9	
K5832-17	5-(6-8)	17	1.15	9.69	8.8	89.6	
K5832-18	5-(8-10)	18	1.14	9.8	8.73	87.6	
K5832-19	5-(10-12)	19	1.14	9.93	9.29	92.7	
K5832-20	5-(12-14)	20	1.15	9.8	9.42	95.6	
K5833-01	8-(10-12)	21	1.14	9.97	9.52	94.9	



PERCENT SOLID

Supervisor: apatel
Analyst: Dodley
Date: 11/15/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:18
In Date: 11/14/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106287

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5833-02	8-(12-13)	22	1.14	9.73	9.27	94.6	
K5833-03	7-(2-4)	23	1.15	9.7	8.57	86.8	
K5833-04	7-(4-6)	24	1.15	9.68	8.84	90.2	
K5833-05	7-(6-8)	25	1.14	9.93	9.08	90.3	
K5833-06	7-(8-10)	26	1.14	9.84	9.23	93.0	
K5833-07	7-(10-12)	27	1.14	9.68	9.09	93.1	
K5833-08	7-(12-14)	28	1.13	9.69	9.19	94.2	
K5833-09	6-(2-4)	29	1.15	9.83	8.86	88.8	
K5833-10	6-(4-6)	30	1.15	9.74	8.81	89.2	
K5833-12	8-(2-4)	31	1.14	9.55	8.25	84.5	
K5838-01	UC-TP	47	1.14	9.96	9.23	91.7	
K5838-02	UC-TP	48	1.14	9.96	9.23	91.7	
K5838-03	UC-TP	49	1.14	9.96	9.23	91.7	
K5848-01	ESW	32	1.14	9.67	7.61	75.8	
K5852-01	21970	53	1.00	2.00	2.00	100.0	
K5852-03	20987	54	1.00	2.00	2.00	100.0	
K5853-01	WASTE	55	1.13	9.75	8.84	89.4	
K5858-01	DRUM-A	50	1.00	2.00	2.00	100.0	
K5858-03	DRUM-B	51	1.15	9.68	7.58	75.4	
K5860-01	20949-20950	56	1.00	2.00	2.00	100.0	
K5860-03	20957-20958-20959-20960	57	1.00	2.00	2.00	100.0	
K5860-09	20777	58	1.00	2.00	2.00	100.0	
K5862-01	TP-13A-S1	40	1.13	9.81	9.12	92.1	
K5862-02	TP-13A-S2	41	1.15	9.85	8.78	87.7	
K5862-03	TP-13A-S	42	1.13	9.97	9.17	91.0	
K5863-02	TP-1-1.0-1.5	43	1.16	9.6	8.43	86.1	
K5863-03	TP-1-7.0-7.5	44	1.14	9.78	8.87	89.5	
K5863-04	TP-1-12.5-13.0	45	1.14	9.61	9.03	93.2	



PERCENT SOLID

Supervisor: apatel
Analyst: Dodley
Date: 11/15/2019

OVENTEMP IN Celsius(°C): 108
Time IN: 18:18
In Date: 11/14/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 11/15/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106287

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K5863-05	TP-1-COMP	46	1.14	9.7	8.9	90.7	
K5864-01	SB-01-7.5-8.0	59	1.14	9.93	9.34	93.3	
K5864-02	SB-01-COMP	60	1.14	9.93	9.34	93.3	
K5864-03	SB-02-7.5-8.0	61	1.14	9.79	9.14	92.5	
K5864-04	SB-02-COMP	62	1.14	9.79	9.14	92.5	
K5864-05	SB-03-7.5-8.0	63	1.15	9.81	9.04	91.1	
K5864-06	SB-03-COMP	64	1.15	9.81	9.04	91.1	
K5864-07	SB-04-7.5-8.0	65	1.15	9.73	8.59	86.7	
K5864-08	SB-04-COMP	66	1.15	9.73	8.59	86.7	
K5864-09	SB-05-7.5-8.0	67	1.15	9.58	8.79	90.6	
K5864-10	SB-05-COMP	68	1.15	9.58	8.79	90.6	
K5866-01	OIL-TEST-UNDER-BRIDGE	52	1.13	9.73	9.37	95.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

LB106287

WorkList Name : %1-111419

WorkList ID : 133247

Department : Wet-Chemistry

Date : 11-14-2019 08:14:19

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/21/2019	Solid	K5864-01	Percent Solids	Cool 4 deg C	LIR001	I22	SB-01-7.5-8.0	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-02	Percent Solids	Cool 4 deg C	LIR001	I22	SB-01-COMP	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-03	Percent Solids	Cool 4 deg C	LIR001	I22	SB-02-7.5-8.0	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-04	Percent Solids	Cool 4 deg C	LIR001	I22	SB-02-COMP	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-05	Percent Solids	Cool 4 deg C	LIR001	I22	SB-03-7.5-8.0	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-06	Percent Solids	Cool 4 deg C	LIR001	I22	SB-03-COMP	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-07	Percent Solids	Cool 4 deg C	LIR001	I22	SB-04-7.5-8.0	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-08	Percent Solids	Cool 4 deg C	LIR001	I22	SB-04-COMP	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-09	Percent Solids	Cool 4 deg C	LIR001	I22	SB-05-7.5-8.0	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5864-10	Percent Solids	Cool 4 deg C	LIR001	I22	SB-05-COMP	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5838-01	Percent Solids	Cool 4 deg C	PSEG01	N62	UC-TP	11/14/2019	Chemtech -SO
11/20/2019	Solid	K5838-02	Percent Solids	Cool 4 deg C	PSEG01	N62	UC-TP	11/14/2019	Chemtech -SO
11/20/2019	Solid	K5838-03	Percent Solids	Cool 4 deg C	PSEG01	N62	UC-TP	11/14/2019	Chemtech -SO
11/18/2019	Solid	K5848-01	Percent Solids	Cool 4 deg C	PSEG01	N63	ESW	11/13/2019	Chemtech -SO
11/21/2019	Solid	K5852-01	Percent Solids	Cool 4 deg C	PSEG01	N63	21970	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5852-03	Percent Solids	Cool 4 deg C	PSEG01	N63	20987	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5862-02	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-13A-S2	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5862-03	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-13A-S	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5863-02	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-1-1.0-1.5	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5863-03	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-1-7.0-7.5	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5863-04	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-1-12.5-13.0	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5863-05	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-1-COMP	11/14/2019	Chemtech -SO

Date/Time 11/14/19 16:30

Received by: D.F.

Relinquished by: PC

Date/Time 11/14/19 18:30

Received by: PC

Relinquished by: D.F.

WORKLIST(Hardcopy Internal Chain)

Worklist Name : %1-111419

Worklist ID : 133247

Department : Wet-Chemistry

Date : 11-14-2019 08:14:19

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/21/2019	Solid	K5858-01	Percent Solids	Cool 4 deg C	PSEG01	N62	DRUM-A	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5858-03	Percent Solids	Cool 4 deg C	PSEG01	N62	DRUM-B	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5860-01	Percent Solids	Cool 4 deg C	PSEG01	N62	20949-20950	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5860-03	Percent Solids	Cool 4 deg C	PSEG01	N62	20957-20958-20959-20960	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5860-09	Percent Solids	Cool 4 deg C	PSEG01	N62	20777	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5862-01	Percent Solids	Cool 4 deg C	PSEG01	N63	TP-13A-S1	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5665-01	Percent Solids	Cool 4 deg C	PSEG05	N63	HR-05-111419	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5665-02	Percent Solids	Cool 4 deg C	PSEG05	N63	HR-05-111419-1	11/14/2019	Chemtech -SO
11/21/2019	Solid	K5665-03	Percent Solids	Cool 4 deg C	PSEG05	N63	HR-05-111419-2	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5671-06	Percent Solids	Cool 4 deg C	PSEG05		OR-03-111419	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5671-07	Percent Solids	Cool 4 deg C	PSEG05		OR-03-111419	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5671-08	Percent Solids	Cool 4 deg C	PSEG05		OR-03-111419-1	11/14/2019	Chemtech -SO
11/19/2019	Solid	K5671-09	Percent Solids	Cool 4 deg C	PSEG05		OR-03-111419-2	11/14/2019	Chemtech -SO
11/23/2019	Solid	K5853-01	Percent Solids	Cool 4 deg C	RMJE02	H52	WASTE	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-01	Percent Solids	Cool 4 deg C	SKAN04	I11	10-(2-4)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-02	Percent Solids	Cool 4 deg C	SKAN04	I11	10-(4-6)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-03	Percent Solids	Cool 4 deg C	SKAN04	I11	10-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-04	Percent Solids	Cool 4 deg C	SKAN04	I11	9-(2-4)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-05	Percent Solids	Cool 4 deg C	SKAN04	I11	9-(4-6)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-06	Percent Solids	Cool 4 deg C	SKAN04	I11	9-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-12	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(2-4)	11/13/2019	Chemtech -SO
11/15/2019	Solid	K5866-01	Percent Solids	Cool 4 deg C	SKAN04	I11	OIL-TEST-UNDER-BRIDGE	11/14/2019	Chemtech -SO

Date/Time 11/14/19 16:30

Received by: DR.

Relinquished by: PC

Date/Time 11/14/19 18:30

Received by: PC

Relinquished by: DR.

WORKLIST(Hardcopy Internal Chain)

Worklist Name : %1-111419 Worklist ID : 133247 Department : Wet-Chemistry Date : 11-14-2019 08:14:19

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2019	Solid	K5833-05	Percent Solids	Cool 4 deg C	SKAN04	I11	7-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-06	Percent Solids	Cool 4 deg C	SKAN04	I11	7-(8-10)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-07	Percent Solids	Cool 4 deg C	SKAN04	I11	7-(10-12)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-08	Percent Solids	Cool 4 deg C	SKAN04	I11	7-(12-14)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-09	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(2-4)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-10	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(4-6)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-19	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(10-12)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-20	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(12-14)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-01	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(10-12)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-02	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(12-13)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-07	Percent Solids	Cool 4 deg C	SKAN04	I11	9-(8-10)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-08	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(4-6)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-09	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-10	Percent Solids	Cool 4 deg C	SKAN04	I11	8-(8-10)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-11	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-12	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(8-10)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-13	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(10-12)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-14	Percent Solids	Cool 4 deg C	SKAN04	I11	6-(12-15)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-15	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(2-4)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-16	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(4-6)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-17	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(6-8)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5832-18	Percent Solids	Cool 4 deg C	SKAN04	I11	5-(8-10)	11/13/2019	Chemtech -SO

Date/Time 11/14/19 16:30
Received by: D.F.
Relinquished by: PC

Date/Time 11/14/19 18:30
Received by: PC
Relinquished by: D.F.

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-111419 WorkList ID : 133247 Department : Wet-Chemistry Date : 11-14-2019 08:14:19

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2019	Solid	K5833-03	Percent Solids	Cool 4 deg C	SKAN04	111	7-(2-4)	11/13/2019	Chemtech -SO
11/20/2019	Solid	K5833-04	Percent Solids	Cool 4 deg C	SKAN04	111	7-(4-6)	11/13/2019	Chemtech -SO

Date/Time 11/14/19 16:30
 Received by: D.F.
 Relinquished by: PC

Date/Time 11/14/19 18:30
 Received by: PC
 Relinquished by: D.F.