

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	offset	slope
LB106432BLW	100	22/11/2019 11:50	0.00	3.48	3.47	6.89	104.4
LB106432BSW	100	22/11/2019 12:00	46.76	4.39	8.25	6.89	104.4
K5965-01	50	22/11/2019 12:44	176.88	4.28	5.42	6.89	104.4
K5965-02	50	22/11/2019 12:48	103.04	4.22	5.47	6.89	104.4
K5965-03	50	22/11/2019 12:52	105.68	4.30	5.51	6.89	104.4
K5965-04	50	22/11/2019 12:56	74.56	4.34	5.64	6.89	104.4
K5965-05	50	22/11/2019 13:00	66.40	4.39	5.46	6.89	104.4
K5965-06	50	22/11/2019 13:03	69.04	4.36	5.46	6.89	104.4
K5965-07	50	22/11/2019 13:07	89.76	4.27	5.69	6.89	104.4
K5965-09	50	22/11/2019 13:11	0.00	4.13	4.19	6.89	104.4
K5984-01	50	22/11/2019 13:14	148.48	4.28	5.60	6.89	104.4
K5984-01DUP	50	22/11/2019 13:17	142.88	4.34	5.63	6.89	104.4
K5984-04	50	22/11/2019 13:21	95.44	4.37	5.55	6.89	104.4
K5984-05	50	22/11/2019 13:25	78.96	4.30	5.67	6.89	104.4
K5984-06	50	22/11/2019 13:30	167.12	4.37	5.98	6.89	104.4

11/22/2019
AR