



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106468

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5663-01	AU-06-112219	1	100.02	0.00	11/25/2019	09:30
2	K5663-01DUP	AU-06-112219DUP	1	100.05	0.00	11/25/2019	09:40
3	K5672-01	EO-02-112219	1	100.03	0.00	11/25/2019	09:50
4	K6001-03	TP-12B-D	1	100.04	0.00	11/25/2019	10:00

WORKLIST(Hardcopy Internal Chain)

LB106468

WorkList Name : PF112519 WorkList ID : 133648 Department : Wet-Chemistry Date : 11-25-2019 08:41:53

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/22/2019	Solid	K5663-01	Paint Filter	Cool 4 deg C	PSEG05	N12	AU-06-112219	11/22/2019	9095B
11/22/2019	Solid	K5672-01	Paint Filter	Cool 4 deg C	PSEG05	N12	EO-02-112219	11/22/2019	9095B
11/21/2019	Solid	K6001-03	Paint Filter	Cool 4 deg C	PSEG01		TP-12B-D	11/21/2019	9095B

Date/Time 11/25/19 9:20
 Received by: DK
 Relinquished by: KS

Date/Time 11/25/19 10:05
 Received by: KS
 Relinquished by: DK