



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 12/2/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 15:00
In Date: 11/27/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 11/28/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106509

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K5950-01	MBFQG7	1	1.15	9.52	6.8	67.5	
K5950-02	MBFQG8	2	1.16	9.98	7.81	75.4	
K5950-03	MBFQG9	3	1.17	9.52	6.82	67.7	
K5950-04	MBFQH0	4	1.16	9.71	7.63	75.7	
K5950-05	MBFQH1	5	1.14	9.94	7.87	76.5	
K5950-06	MBFQH2	6	1.16	9.61	7.75	78.0	
K5950-07	MBFQH3	7	1.18	9.59	8.92	92.0	
K5950-08	MBFQH4	8	1.15	9.96	8.97	88.8	
K5950-09	MBFQH5	9	1.17	9.64	8.98	92.2	
K5950-10	MBFQH6	10	1.13	9.71	7.68	76.3	
K5950-11	MBFQH7	11	1.17	9.97	7.26	69.2	
K5950-12	MBFQH8	12	1.14	9.98	7.91	76.6	
K5950-13	MBFQH9	13	1.12	9.74	7.96	79.4	
K5950-14	MBFQJ0	14	1.16	9.94	7.19	68.7	
K5950-15	MBFQJ1	15	1.17	9.92	6.75	63.8	
K5950-16	MBFQJ2	16	1.18	9.98	8.19	79.7	
K5950-17	MBFQJ3	17	1.18	9.97	7.86	76.0	
K5950-18	MBFQJ4	18	1.17	9.97	6.81	64.1	
K5950-19	MBFQJ4D	19	1.17	9.97	6.81	64.1	
K5950-20	MBFQJ4S	20	1.17	9.97	6.81	64.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$