



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106522

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5675-09	TR-05-112619	1	100.02	0.00	11/27/2019	09:10
2	K5675-09DUP	TR-05-112619DUP	1	100.05	0.00	11/27/2019	09:20
3	K6054-01	RBR-50	1	100.03	0.00	11/27/2019	09:30
4	K6054-04	RBR-28	1	100.04	0.00	11/27/2019	09:40
5	K6066-03	TP-19-S	1	100.05	0.00	11/27/2019	09:50

WORKLIST(Hardcopy Internal Chain)

LB106522

WorkList Name : PF112719 WorkList ID : 133754 Department : Wet-Chemistry Date : 11-27-2019 08:57:35

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/26/2019	Solid	K5675-09	Paint Filter	Cool 4 deg C	PSEG05	N12	TR-05-112619	11/26/2019	9095B
11/26/2019	Solid	K6054-01	Paint Filter	Cool 4 deg C	PSEG01	N12	RBR-50	11/26/2019	9095B
11/26/2019	Solid	K6054-04	Paint Filter	Cool 4 deg C	PSEG01	N12	RBR-28	11/26/2019	9095B
11/26/2019	Solid	K6066-03	Paint Filter	Cool 4 deg C	PSEG01	N12	TP-19-S	11/26/2019	9095B

Date/Time 11/27/19 09:00
 Received by: DK
 Relinquished by: KS

Date/Time 11/27/19 10:00
 Received by: KS
 Relinquished by: DK